Three Dollars Winter 1996

# THE HISTORIC HUNTSVILLE QUARTERLY

Of Local Architecture and Preservation



### HISTORIC HUNTSVILLE FOUNDATION Founded 1974

### **Officers for 1996-1997**

Diane Ellis	Chairman
Lauren B. Martinson	
Carol Harless	Secretary
Jim Maples	Treasurer
Suzi Bolton (Immediate Past Chairma	n)Ex-Officio
Kay Anderson	. Management Committee
Elise H. Stephens	Editor
Lynne Lowery	Trip Coordinator

### **Board of Directors**

Linda Allen
Delia Black
David Bowman
Kyleen Daly
Diane Ellis
David Ely
Billie Grosser
Buz Heeschen
Kyle Johnson
Ira Jones
Lynn Jones
Carol Kamback
Sarah Lauren Kattos
Walter Kelley
Barbera Liddon

Ginger Loder
Terry Long
Wayne Lumpkin
Jim Maples
Lauren B. Martinson
Mabry Miller
Loch Neely
Roger Nicholson
Gerald Patterson
Jim Phillips
Dale Rhoades
B. J. Robinson
Nancy Van Valkenburgh
Ben Walker

Cover: Oil Painting in private possession of Margaret Anne Goldsmith Hanaw

# THE HISTORIC HUNTSVILLE QUARTERLY

### of Local Architecture and Preservation

Vol. XXII, No. 4

Winter— 1996

### TABLE OF CONTENTS

From The HHF Board Chair—Diane Ellis	198
From The Editor—Elise Stephens	199
The Bernstein House  Margaret Ann Goldsmith Hanaw	200
Historic Preservation Certification Application Instructions	204
Part 1: Evaluation of Significance	222
Early Maps of Huntsville	238
Floor Plans	241
Part 2: Evaluation of Significance	245
Pictures (submitted with Part 2 & Part 3)	259
Part 3: Request for Certification of Completed Work	. 277
Madison County Properties Listed on the National Register of Historic Places as of 3/29/96	. 279
Madison County Properties Listed on the Alabama Register of Landmarks & Heritage as of 3/29/96	. 284
Inday	286

### From the Chair...Diane Ellis

Dear Foundation Friends,

As if you didn't have enough documents scattered about on your desks this tax season, here we come with a *Quarterly* full of forms and lists. Nothing anxiety-producing here, though, just more good information about some pieces of the preservation puzzle that were featured in the Fall issue: the National Register of Historic Places and the Alabama Register of Landmarks and Heritage.

In the last *Quarterly*, we learned what the National Register is. In this issue we learn about the process of registering a property. And, we find a revealing list of Huntsville and Madison County properties that are on the National Register of Historic Places and/or the Alabama Register of Landmarks and Heritage. From the Memphis and Charleston Passenger Depot (added to the Register in 1971), to the Burritt Mansion (added in 1994), and Monte Sano State Park (added to the Alabama Register in 1996); from early-19th-century treasures to historic sites linked to the space age, the lists present a picture of a city and county rich both in history and in citizens who understand the importance of historic preservation and are willing to work for it.

Preservation is very much a participatory endeavor. It requires something from others: research, information, ideas, examples, advice, encouragement, materials. As Huntsville's community-based preservation organization, HHF is a valuable clearinghouse for all kinds of preservation needs, from ideas to artifacts. We collect, recycle, share and distribute. We educate. We advocate. We participate. Good things happen in communities when people get together and participate in the cause of preservation. Just look at those lists.

I hope you'll be able to come to our next covered dish supper, on Thursday, February 20, at 6:30 p.m., at the First Presbyterian Church. The program will focus on approaches to revitalizing America's downtowns.

### From the Editor...Elise Stephens

This issue of the *Quarterly* is not intended for the weak of heart. Only the bold will find its message inviting. But armchair preservationists and historians can wince their way through the United States Department of the Interior National Park Service Historic Preservation Certification Application Instructions and be glad there are brave-hearted citizens willing to take the pains necessary to certify historic structures we all enjoy in this history-clad community. Thank you Margaret Anne Goldsmith Hanaw! The Bernstein House is an excellent example of adaptive reuse, converting a house's uses without altering its basic architectural integrity.

This issue is a follow-up of the last. Together they serve as a preservation primer. Education is the *Quarterly's* primary purpose. Preservation requires enlightened appreciation and action. As the editor I encourage you to contribute to the dialogue this publication allows between HHF members and *Quarterly* readers.

Check out the annual index. This is the third one compiled. It reminds us where we have been and beckons us forward to areas yet untouched. I am also reminded that 1997 marks the 100th Anniversary of Harrison Brothers on the Square.

Future issues are in the planning stage. Please write or call in your suggestions. Since the *Quarterly* goes to libraries throughout the State, its voice is heard more broadly than you might think. The Foundation is always eager to share Huntsville and Madison County's preservation and architectural history. We look to our members to spread the good word.

### The Bernstein House: A Case Study

### Margaret Anne Goldsmith Hanaw

The Bernstein House at 206 Gates Avenue has been owned by my family since 1874, when it was acquired by my great-great grandparents Henrietta and Morris Bernstein. Over the last 121 years it has been occupied by family members including great-great grandparents, a great uncle and aunt, grandparents, and parents. It has also been rented at various times.

I grew up there during the forties and fifties. My parents continued to live there until 1995. My emotional ties to the house were strong and the thought of selling it when it came under my stewardship was one I could not bear to consider. Since I did not plan to live there nor did I want to sell it, my options were to either rent it as a residence or an office. The first option was not economically feasible. The second option, to convert the property to an office through the process of adaptive reuse, was feasible. That option was made somewhat more attractive because of the federal historic preservation tax incentives available to convert qualified historic structures to commercial use subject to depreciation.

For me however, the main reasons to retain and restore the house were not the economic incentives as much as the opportunity to keep the house in the family, and to attempt to correctly restore the house maintaining its historic 1924 decor and Colonial Revival Architecture. It was my opinion that if I had sold the house as a residence a typical purchaser would have wanted a different floor plan. They would have likely enlarged the house changing the ratio of building to lot and altered the proportions of the dwelling in order to have a home convenient to today's lifestyle. In so doing a residential purchaser would likely have built a modern kitchen and family room, enlarged the bedrooms, modernized the bath, changed the traffic pattern and virtually destroyed the 1924 interior decor.

It was at this juncture that I decided to keep the house virtually as it was and rent it as an office. When a tenant was found I planned to rehabilitate the property according to the guidelines set forth by the federal government for historic preservation investment tax credit. I wanted to retain the 1924 decor of the Bernstein House in order to preserve in Twickenham one of the few examples of Colonial Revival style architecture that exists in the district today, and thus do my part to help preserve the diversity of styles that makes this historic district unique.

The historic preservation certification application is in three parts, each part must be reviewed by the Alabama Historical Commission and then sent to the National Park Service of the Department of the Interior for review and certification. Part 1, "Evaluation of Significance," is an evaluation of the property as to whether it qualifies for rehabilitation. The property must be either on the National Register or it must qualify as "contributing to the significance of a National Historic District and be a certified historic structure for the purpose of rehabilitation."

Part 1 of the application involved writing a complete description of the interior and exterior of the house with details of the three different restorations since it was built in 1818, as well as a site description. The last restoration occurred in 1924, Colonial Revival Configuration, the style the current restoration would be required to honor. It might be noted that my own taste might have dictated deviation from maintaining the Colonial Revival style. I would have liked to remove some of the 1924 oak flooring and expose sections of the charming 1818 period random width tongue and groove wide pine floor boards. I would also have liked to remove the 1924 plaster covering of the 1834 brick fireplace and expose the old brick. It also would have been fun to find a good spot for a skylight or a stained glass window. However, none of these changes would have been considered maintaining the integrity of the 1924 decor, and could have disqualified the project for historic tax credit.

My experience in restoring the Bernstein House brought me to an understanding of the importance of remaining true to the architectural period of the property and not to be tempted to impose my own taste, or submit to personal whims in carrying out an historic restoration. To avoid these pitfalls I strongly recommend that anyone considering an historic restoration have someone familiar with the historic period to be maintained review all anticipated changes to the property.

The second section of Part 1 of the certification application required an explanation as to why the property was significant within the Twickenham Historic District where it is located, as not all properties within a historic district are necessarily significant. Two sets of photographs, maps of the immediate area from 1866 through 1913, and drawings of the existing floor plans completed Part 1.

In order to describe the various elements of the house for Part 1, I called on a local architectural historian and a local architect to assist me by supplying the correct terms to describe the various architectural details.

Although I wrote the description and the statement of significance of the Bernstein House myself, I would, if I were to attempt the project again or if I were to advise someone undertaking a similar project, suggest hiring a professional to write this part of the certification. The National Park Service requires a clear and complete description of both the interior and the exterior of the property, plus good photographic coverage, in order to make a determination as to its historic significance. A professional can do this quicker and with greater expertise than someone without professional background.

After Part 1 is returned from the National Park Service and the property is deemed historically eligible for restoration, Part 2 is submitted. Part 2 of the certification, "Description of Rehabilitation," requires a complete description of the anticipated rehabilitation plus illustrations and details through drawings and two sets of photographs. The descriptions of the existing conditions and the anticipated work plus the accompanying photographs, must be presented according to the instructions with no deviation, or else the application is returned for correction.

The Park Service requires that Part 2 be submitted before any work is begun, as the anticipated work and methods to be used might not meet requirements. By submitting Part 2 before work is begun, the Park Service has the opportunity to point out areas of work anticipated that do not meet requirements. Changes can then be made prior to beginning work. In the case of the Bernstein House, I was unable to wait for the Park Service to respond to Part 2 as I had a tenant requesting occupancy within three months, not sufficient time for the Park Service to respond. It takes two months for each of the three parts of the certification process.

By proceeding with the work I risked losing the investment tax credit if some of the procedures had not met approval. For example. I considered removing the 1924 radiators since a central HVAC system was to be installed. I later decided to allow them to maintain the 1924 interior decor. Fortunately this was the right decision, as the tax credit might have been disallowed had the radiators been removed.

I was fortunate in that the proposed work for Part 2 was approved, although at the time the approval was received the work was already completed. My advice in this case, and the procedure I would follow in the future, would be that when work has to proceed before Part 2 can be approved, review the proposed work with a qualified architect familiar with historic restorations. In addition, I would also suggest reviewing proposed

work with the Alabama Historical Commission. If time allows and someone is available, I would ask someone from the staff of the Alabama Historical Commission to make a personal visit and inspect the property and my restoration plans, at my expense, in order to review the proposed alterations for suitability.

The third part of the Certification Application is "Request for Certification of Completed Work." This part requires the completion of a simple one-page form and two sets of photographs duplicating the sets sent with Parts 1 and 2, showing every aspect of completed work. Like the first sets of photographs, these sets must include certain details including address, name of property, date of photograph, view, and details as to what is being shown written on the back of each photograph. If the work is approved, the Secretary of the Interior then returns the form stating that the rehabilitation meets the Secretary of the Interior "Standards for Rehabilitation," and is consistent with the historic character of the property or the district in which it is located. Twenty percent of the cost of the rehabilitation is then eligible for historic preservation tax credit. The remaining eighty percent of the cost is capitalized and depreciated according to the straight line method.

The restoration of The Bernstein House at 206 Gates Avenue, has been a challenge and a learning experience. I began the process without realizing the many pitfalls present along the way, in particular possibly making alterations that would have disqualified the project for historic preservation tax credit. I also did not realize the difficulty for a person like myself, with no background or knowledge of historic architecture, to complete the certification application. I was fortunate and lucky that certification was approved for the Bernstein House.

I thought that my experience and suggestions might be helpful to someone attempting a similar project. Hopefully my experience might encourage someone wondering whether or not to attempt an historic restoration, to do so. This was the reason, when asked to share the completed forms and photographs of my historic preservation certification of the Bernstein House with the Huntsville community through the Historic Huntsville Foundation *Quarterly*, I agreed.

Although each historic restoration is unique, a copy of the completed forms for the Bernstein House can serve as a sample guide to anyone following the application instructions and completing their own set of forms for historic preservation certification. Good Luck!

### UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

# HISTORIC PRESERVATION CERTIFICATION APPLICATION Instructions

This application is to be filled out in accordance with regulations set forth in Chapter 1, Title 36 of the Code of Federal Regulations, part 67, and the instructions given below. (Pursuant to section 48(g) and 170(h) of the Internal Revenue Code of 1986.) The regulations shall take precedence in the event of any inconsistency with the requirements expressed in this application. National Park Service approval of applications and amendments to applications is conveyed only in writing by duly authorized officials of the Federal Government. The decision by the National Park Service with respect to certification is made on the basis of the descriptions in this application form. In the event of any discrepancy between the application form and other, supplementary material submitted with it (such as architectural plans, drawings and specifications), the application forms shall take precedence. Normally, two copies of this application are required; one to be retained by the State Historic Preservation Officer (SHPO) and the other by the National Park Service (NPS). Photographs, architectural plans, drawings and other materials submitted with this application become the property of the National Park Service and may be reproduced by it without permission.

In this package:

Instructions for the Historic Preservation Certification Application

List of National Park Service Regional Offices

Part 1 — Evaluation of Significance

Part 2 — Description of Rehabilitation

Continuation/Amendment Sheet

Request for Certification of Completed Work

Read the following instructions carefully before filling out the attached application. Type or print clearly in black ink. In cases where adequate documentation is not provided, review and evaluation cannot be completed, resulting in denial of the requested certification.

A certified rehabilitation is:

any rehabilitation of a certified historic structure which the Secretary has certified to the Secretary of the Treasury as being consis-

### HISTORIC PRESERVATION CERTIFICATIONS

Federal historic preservation tax incentives are available for any qualified project that the Secretary of the interior designates as a certified rehabilitation of a certified historic structure. These incentives are available pursuant to section 48(9) of the Internal Revenue Code of 1986, 90 Stat. 1519, as amended by 100 Stat. 2085, and section 170(h) of the Internal Revenue Code of 1986, 94 Stat. 3204. Federal income and estate tax deductions for charitable contributions of partial interests in a historic property designated a certified historic property are also available.

A *certified historic structure* is any structure, subject to depreciation as defined by the Internal Code, that is:

- listed individually in the National Register of Historic Places; or,
- located in a registered historic district and certified by the Secretary of the Interior as contributing to the historic significance of the district.

For purposes of the charitable contributions provisions only, a certified historic structure need not be a building nor be depreciable to qualify.

A registered historic district is any district listed in the National Register or any district which is designated under a state or local statute which has been certified by the Secretary of the Interior as containing criteria which will substantially achieve the purpose of preserving and rehabilitating buildings of significance to the district; and which is certified by the Secretary as meeting substantially all of the requirements for the listing of districts in the National Register.

tent with the historic character of such structure and, where applicable, with the district in which such structure is located.

The Infernal Revenue Code limits the tax incentives for rehabilitation to depreciable structures, i.e, buildings used in a trade or business or held for the production of income, such as commercial or rental residential properties. Nondepreciable structures may qualify as certified historic structures only if they are the subject of charitable contributions for conservation purposes.

Owners of properties listed either individually or within districts in the National Register of Historic Places (a list maintained by the Department of the Interior) are eligible to apply for certifications. Owners of properties located in state or local districts may also apply for certifications if the statutes establishing those districts have been certified by the Secretary of the Interior and the districts have been certified by the Secretary as substantially meeting the National Register Criteria for Evaluation.

To qualify for the tax incentives, property owners must complete the appropriate part or parts of the Historic Preservation Certification Application. Completed applications are sent first to the State Historic Preservation Officer (SHPO). The SHPO will forward applications to the appropriate NPS regional office, generally with a recommendation. State recommendations are generally followed, but by law all certification decisions are made by NPS on behalf of the Secretary. The NPS decision may differ from the recommendation of the SHPO. Applications may be sent at any time during the year and may be sent separately or together (if the two parts ate sent separately, Part 1 must precede Pad 2). Simultaneous submission of Parts 1 and 2, however, permits a more expeditious review. Part 2 will not be processed until an adequately documented Part 1 is on file and acted upon, unless the property is already individually listed in the National Register.

A current list of SHPOs, the regulations referenced above, or additional copies of this application may be obtained by contacting one of the NPS regional offices listed at the end of these instructions. Applicants are strongly encouraged to submit applications describing proposed work and to receive approval from the NPS prior to the start of construction. Owners who undertake rehabilitation projects without prior approval from the National Park Service do so at their own risk.

Under the procedures outlined in 36 CFR Part 67, Parts 1 and 2 of this application will each generally be reviewed within 60 days of receipt of a completed, adequately documented application (30 days at the State level and 30 days at the Federal level). Questions concerning the review status of specific applications should be addressed to the appropriate NPS regional office. Notification as to certification will be made in writing by the NPS. A copy of each notification is provided to the Internal Revenue Service and the SHPO.

Continuation/Amendment Sheets. Use Continuation/Amendment Sheets or blank sheets of paper as needed to provide information concerning special considerations, to continue sections of the application for which additional space is needed, or to amend an application that has already been submitted. On each sheet include property name and address. Indicate "Part 1" or "Part 2" at the top of the sheet. Give the item number continued from the application and provide information in the same format as on the application.

### PART I—EVALUATION OF SIGNIFICANCE

The Historic Preservation Certification Application—Part 1 is used for the following purposes:

Owners must report to the NPS through the SHPO any substantial damage, alteration or change to a property that occurs after issuance of a certification of significance and prior to a final certification of rehabilitation

Evaluation of the Application. The documentation in Part 1 applications for buildings within districts must be sufficient: 1) to make a judgment about how the building relates to the district as a whole, and 2) to determine what particular features of the building comprise its historic character. In compiling this information it is helpful to consult the National Register nomination for the district on file at the office of the State Historic Preservation Officer or the district documentation at the local historical commission or stale office for certified districts. It should not be necessary in most cases for the applicant to do detailed research to describe the building and to provide a statement of significance. Owners of buildings which appear to meet National Register criteria but are not yet listed in the National Register, or which are located within potential historic districts, may request preliminary determinations from the NPS as to whether such buildings may qualify as certified historic structures when the buildings or the districts in which they are located are listed in the National Register. Preliminary determinations may also be requested for buildings outside the period or area of significance of a registered historic district. Such requests will be reviewed for conformance with National Register criteria published in 36 CFR Part 60 and/or the Secretary's Standards for Evaluating Significance within Registered Historic Districts. These requests will be considered only if the submitted documentation substantially meets the requirements detailed in 36 CFR 60 and NPS instructions on completing National Register nomination forms (available from the State Historic Preservation Officer or the NPS regional

- to request certification that a depreciable building contributes to the significance of a registered historic district and therefore qualifies as a "certified historic structure" for the purpose of rehabilitation;
- to request certification that a depreciable or non depreciable structure or building, and, where appropriate, the land area on which such a structure or building is located contributes to the significance of the registered historic district in which it is located, for a charitable contribution for conservation purposes; to request certification that a building does not contribute to the significance of the registered historic district in which it is located;
- to request a preliminary determination of whether an individual building not yet on the National Register meets the National Register Criteria for Evaluation and will likely be listed in the National Register when nominated according to the procedures set forth in 36 CFR Part 60;
- to request a preliminary determination that a building located within a potential historic district contributes to the significance of the district;
- to request a preliminary determination that a building outside the period or area of significance of a registered historic district contributes to the significance of the district.

Owners of buildings individually listed in the National Register need not complete Part 1 in most cases. (Verification of National Register listing may be obtained from the SHPO or the listing of National Register entries in the Federal Register). However, owners of properties containing more than one building must submit a single Part 1 application that describes all the buildings within the listing.

offices). Preparing such applications generally requires professional expertise in history, architectural history, or related disciplines. Such determinations are preliminary only and are not binding upon the NPS. Preliminary determinations ordinarily become final as of the date of the listing of the individual building or district in the National Register, or for buildings outside the period or area of significance of a registered historic district, when the nomination or district documentation is formally amended. This requires:

### The Secretary of the Interior's Standards for Evaluating Significance within Registered Historic Districts

- 1. A building contributing to the historic significance of a district is one which by location, design, setting, materials, workmanship, feeling and association adds to the district's sense of time and place and historical development.
- 2. A building not contributing to the historic significance of a district is one which does not add to the district's sense of time and place and historical development; or one where the location, design, setting, materials, workmanship, feeling and association have been so altered or have so deteriorated that the overall integrity of the property has been irretrievably lost.
- 3. Ordinarily buildings that have been built within the past 50 years shall not be considered to contribute to the significance of a district unless a strong justification concerning their historical or architectural merit is given or the historical attributes of the district are considered to be less than 50 years old.

2

1) the Stale Historic Preservation Officer to amend the National Register nomination and for the amended nomination to be approved by the NPS; or 2) the state or local jurisdiction for certified historic districts to amend the district documentation and obtain NPS approval. See National Register Bulletin No. 19, "National Park Service Procedures and Policies for Processing National Register Nominations," for further information.

#### **COMPLETING PART 1**

- 1. Name of property. Provide the name of the property. Generally this is its street address. When the building is known by a historic name, such as the Boston Manufacturing Company, or is called by its historic name in the district documentation, include that name also. Provide a complete address, including street, city, county, state and zip code for the property under consideration. If the building is located within a registered historic district, provide the name of the district and check the type of district. Consult the State Historic Preservation Officer for the correct name of the district.
- 2. **Nature of request.** Check box appropriate for your certification request.
- 3. **Project contact.** Provide the name, address and daytime telephone number of the person to whom inquiries regarding specifics of the application should be made.
- 4. **Owner.** Give the owner's name. Sign and date the application. It the owner is a corporation or partnership, give both the name of

If the request for certification is for a charitable contribution for conservation purposes and is for a structure or building in the surrounding land area, the land area should be described. Boundaries of the land area should be specifically defined.

EXAMPLE—Building within a registered historic district: This threestory, flat-roofed, unpainted brick building, rectangular in shape, was constructed in 1850. It features regularly-spaced arched windows on the second and third floors (6 openings on the east elevation have been filled in over the years, exact date unknown), 2-over-2 doublehung sash, and a prominent bracket cornice. The first floor of the facade has been altered: the existing storefront dates from ca. 1950. On the interior, the first floor is divided into two principal spaces—a large commercial space in front and a smaller office behind. The front room was modernized in the 1950's and contains no surviving historic fabric except for a simple wooden staircase running along the party wall. A pressed metal ceiling is the most prominent feature in the rear office; baseboards, paneled doors, and window and door surrounds also survive in this room. The upper floors have two rooms each, identical in configuration to the first floor; these rooms retain their original appearance, although they contain no architectural detailing of any kind (see photographs).

6. Statement of significance. Summarize how the building contributes to the significance of the district. This summary should relate to the significance of the district (including the district's period of significance) as identified in the National Register nomination or district documentation. This statement of significance should also relate to the Secretary of the Interior's Standards for Evaluating Significance within Registered Historic Districts, given on page 2. Is it similar to other buildings in the district in scale, building materials,

that entity and the name of the person who signs the form. Give the owner's Social Security or Taxpayer Identification Number. Provide the owner's address and daytime telephone number. If the property has multiple owners, their names, addresses, and Social Security or Taxpayer Identification Numbers must be listed on a continuation sheet. Long-term lessees may apply if a letter from the owner accompanies the application, indicating knowledge of the application and concurrence with its submission.

5. Description of physical appearance. Provide information about the major features of the building on both the exterior and the interior. Describe the building in its *present* condition (before rehabilitation), not as it war when first built nor as it will be after rehabilitation. Note the architectural style, exterior construction materials (wood, brick, etc.), type of roof (flat, gable, hipped, etc.), number of stories, basic plan (rectangular, irregular, L-shaped, etc.), and distinguishing architectural features (placement and type of windows, chimneys, porches, decorative interior features Or spaces). Fully describe any changes that have been made to the building since its original construction for example, additions, porch enclosures, new storefronts, relocation of doors and windows, and alterations to the interior. Other buildings on the property such as carriage houses, barns, and sheds should also be fully described. (See "Special Considerations: Multiple Buildings" on page 4.) Finally, discuss the way in which the building relates to others in the district or neighborhood in terms of siting, scale, material, construction, and date.

Provide date of construction, if available, or indicate the approximate date. Give the source of the date, which may be a map, the district nomination, a building permit or other official document, or a former owner. Stale the approximate dates of alterations, and check whether or not the building has been moved.

style, and period of construction? Note important figures from the past associated with the building, former uses of the property, and the name of the architect or builder, if known.

If the request for certification is for a charitable contribution for conservation purposes and is for a structure or building with surrounding land area, the importance of the land area to the structure or building should be described.

EXAMPLE—Building within a registered historic district: The district is an intact grouping of architecturally significant commercial and industrial buildings constructed between 1850 and 1915 that display a variety of styles and types of architectural ornamentation during this era. The district is also significant as an early manufacturing and distribution center which led to the city's growth as of the largest cities in the state. Industrial growth in the late 19th and early 20th centuries required the construction of larger buildings and several still exist within the boundaries of the district (see photographs). This modest threestory building is typical in appearance and history of the majority of the buildings in the district. It was originally built for manufacturing buttons, but was convened into a store with offices above during the 1880's when wholesaling grew as an important new activity in the district. The building is similar to its neighbors in size, scale, materials, and style.

7. **Photographs and maps.** Provide *good, clear photographs* of the building and its surroundings as they appeared *before* rehabilitation. Good photographic coverage is a very important pan of the application. Photographs supplement, and to some extent may substitute for, some of the descriptive material in number 5. They should show all elevations of the building, views of the building in its setting on the street, and representative interior spaces and features.

Photographs should tie numbered, dated and labeled with the property name, the view (e.g., east side), and a brief description of what is shown. Photographs should be keyed to the application narrative and sketch map, where appropriate.

Provide a map of the historic district, clearly identifying the lot on which the building is located; this is necessary to verify the building's eligibility for the preservation tax provisions. If certification is being sought for one of a group of buildings that are listed together in the National Register, a site plan of the Group indicating which of the buildings is under consideration is necessary. For buildings under preliminary consideration for individual listing, a site plan is necessary.

If the request for certification is for a charitable contribution for conservation purposes and is for a structure or building with surrounding land area, include a map specifically defining the boundaries and photographs of the land area.

Special Considerations. Applicants should read carefully the following information about certain special considerations that may apply to their particular case. If a building is in one or mote of the categories described below, additional information will be necessary. If this information is provided at the outset, the review process should not be delayed.

<u>Certifications of non-significance.</u> A certification of non-significance is a judgment that a building does not contribute to the significance of a district The application must clearly demonstrate, therefore, that the building lacks the characteristics that contributing buildings in the district possess. The applicant must show how the building compares to others in its immediate neighborhood and to the district as a whole.

of the Interior's Standards for Evaluating Significance within Registered Historic Districts requires that to contribute, such properties must possess exceptional historic or architectural merit or the district must encompass significant qualities and characteristics that are less than 50 years old. Documentation for these properties must explain how the property meets the requirements. For information on the individual listing of properties less than 50 years old, refer to National Register Bulletin No. 22, "How to Evaluate and Nominate Potential National Register Properties That Have Achieved Significance within the Last 50 Years" (available from the SHPO or from the NPS regional offices).

Multiple Buildings. Properties containing more than one building where the buildings are functionally related historically to serve an overall purpose, such as a mill complex or a residence and carriage house. will be treated as a single certified historic structure when the property is rehabilitated as part of an overall project. This will apply whether the property is individually listed in the National Register or located in a registered historic district. Generally, a single application form may be used to request certification for these buildings. Documentation. however, must be submitted for every building to be considered for certification. For instance, if a house and carriage house are both to be certified, a single application may be used but a description and a statement of significance and full photographic coverage of each building must be provided. The owner should state explicitly which buildings are candidates for certification of significance or for certification of non-significance. A sketch map or site plan should be provided to show the current relationship to the buildings. A single application may also be made to request certification in cases where a property is composed of buildings that were functionally related historically to serve an overall purpose (such as a mill complex or an industrial plant). In these cases, the complex will be treated as a single certifiThe documentation must address changes that have been made to the building since its construction. Good photographs are essential; historic photographs should also be provided if possible. When certification or non-significance is requested on the grounds that the building is so deteriorated that the overall integrity of the property has been lost, it may be necessary to submit a structural engineer's report and additional information to document physical deterioration or structural damage.

Moved Buildings. An applicant must provide additional information to support a certification application for a building that has been moved or is a candidate for moving. Such documentation must discuss: 1) the effect of the move on the building's appearance (any proposed demolition, proposed changes in foundations, etc.); 2) the new setting and general environment of the proposed sire; 3) the effect of the move on the distinctive historic and visual character of the district; 4) the method to be used for moving the building. Such documentation must also include photographs showing the previous and proposed environments, including sites, adjacent buildings, and streetscapes. For buildings individually listed in the National Register, the procedures published in 36 CFR Part 60 must be followed prior to the move, or the buildings will be removed from the National Register, will not be considered certified historic structures, and will have to be renominated for listing.

<u>Properties less than 50 years old.</u> Properties less than 50 years old are generally considered not to contribute to the significance of a district and are excluded from individualizing in the National Register. Properties in this category, however, may be certified if they are shown to be integral parts of a historic district and the historical attributes of the district are considered to be less than 50 years old, or if they are exceptionally significant. For this reason, Standard 3 of the Secretary

cation and proposals for demolition of components will be considered in the review 01 rehabilitation work. If buildings are under separate ownership, however, a separate Part 1 application must be filled out by each owner.

Preliminary Determinations. Applications for preliminary determinations must contain substantially the same level of documentation as National Register nominations, as specified in 36 CFR 60 and NPS instructions on completing National Register nomination forms (available from the SHPO or the NPS regional offices). Applications for preliminary determinations for individual listing must show how the building individually meets the National Register Criteria for Evaluation. Specific information about the events, persons, architectural styles, or methods of construction that make the property significant in American history, architecture, archeology, engineering, or culture should be provided. The statement of significance should specifically identify the historic function of the property, the historic themes represented by the property, the period of time when the property played a significant role or acquired significance, and the physical qualities that enable the property to convey its historic significance. An application for a building located in a potential historic district must describe the district and document how the district meets the criteria and how the building contributes to the significance of that district. An application for a preliminary determination for a building in a registered historic district which is outside the period or area of significance in the district documentation on file with the NPS must document and justify the expanded significance of the district and how the building contributes to the significance of the district, or document the individual significance of the building. Applicants should consult NPS instructions on completing National Register nomination forms (available from the SHPO or the NPS regional offices) for guidance in preparing documentation.

## PART 2—DESCRIPTION OF REHABILITATION WORK

The Historic Preservation Certification Application—Part 2 must be completed by all owners of certified historic structures seeking to have rehabilitations certified by the Secretary of the Interior as being consistent with the historic character of the structure and, where applicable, the district in which the structure is located, thus qualifying as a "certified rehabilitation." A fee for review of all Part 2 applications is charged (see 'Processing Fees" page 8) and no certification decision will be issued until receipt of appropriate remittance. Part 2 may be used to describe proposed, ongoing, or completed rehabilitation work.

Whenever possible, Part 2 should be completed and submitted prior to the initiation of any rehabilitation work. Taxpayers will be notified in writing whether or not the proposed project is consistent with the Secretary of the Interior's "Standards for Rehabilitation" set forth in 36 CFR part 67.7 and given on page 6.

Proposed work that does not appear to be consistent with the Standards will be identified, and advice will be given to assist property owners, architects, or builders in bringing the project into conformance with the Standards

**Evaluation of the Application.** All projects are reviewed and evaluated in accordance with the Secretary of the Interior's "Standards for Rehabilitation" (given below, page 6). These ten Standards are broadly worded to guide the rehabilitation of all historic structures, such as industrial complexes, warehouses, schools, commercial structures, and residences. The underlying concern expressed in the Standards

actual project completion date. Give the number of housing units before rehabilitation; the number of such units that are low-moderate income; the number of housing units after project completion, and the number of such units that are low-moderate income. Give the approximate floor area before rehabilitation in square feet, and approximate floor area after rehabilitation in square feet

- 3. **Project contact.** Provide the name, address, and daytime telephone number of the person to whom inquiries regarding specifics of project work should be directed.
- 4. **Owner.** Give the owner's name. Sign and date the application. If the owner is a corporation or partnership, give both the name of that entity and the name of the person who signs the form. Give the owner's Social Security or Taxpayer Identification Number. Provide the owner's address and daytime telephone number. If the property has multiple owners, their names, addresses, and Social Security or Taxpayer Identification Numbers must be listed on a continuation sheet. Long-term lessees may apply for certification if a letter from the owner accompanies the application, indicating knowledge of the application and concurrence with its submission.
- 5. **Detailed description of rehabilitation work**, In the numbered blocks, provide a description of project work. *Describe the entire project and not simply those portions for which the tax credit will be sought.* Begin by describing site work, followed by work on the exterior, including new construction, and finally work on the interior. A separate block should be used to describe each work item and its effect on architectural features or spaces (see examples on page 7).

In the left block, identify the architectural feature requiring work and

is the preservation of significant historic materials and features of a building in the process of rehabilitation. The Standards apply with equal force to both interior and exterior work, and the NPS reviews the entire rehabilitation project (including any attached, adjacent or related new construction) rather than just a single segment of work. Certification is based on whether the overall project meets the Standards

#### **COMPLETING PART 2**

- 1. Name of property. Provide the name of the property; this is generally its street address. If the building is known by a historic name, include the name also. These names should be consistent with the names provided on Part 1 or on the National Register nomination.) Provide a complete address, including street, city, county, state and zip code for the building under consideration. Indicate by checking the appropriate box whether the property is individually listed or located in a registered historic district. If it is in a registered historic district, provide the name of the district. Consult the SHPO for the correct name of the property or the district. Indicate whether a Part 1 application has been submitted for the property; if so, give the date the application was submitted. If a Part 1 Certification has been received, give the date of the certification and the NPS project number.
- 2. Date on building and rehabilitation project. Provide date of construction, and the type of construction (e.g., masonry bearing wall, wood frame, steel frame, concrete). Give the use(s) of the building before rehabilitation (e.g., school/vacant the proposed use after rehabilitation, and the estimated cost of the rehabilitation. If the application describes a phased project, give the number of the phase described in this application, and the total number of phases. Provide the estimated or actual project starting date, and the estimated or 5

indicate whether the feature described is original to the building, was added at a later date, or is new construction. Give approximate date of the feature. In the appropriate space describe the physical condition. Indicate photograph or drawing numbers that show the feature described.

In the right block, explain in detail the rehabilitation work to be undertaken. Describe the effect (visual, structural, or other) on existing features. List drawings, marked photographs, or specification page numbers that show the rehabilitation work and impact on the existing building.

Photographs. The applicant must submit a sufficient good, clear photographs with Part 2 to document both interior and exterior conditions, including site and environment, prior to any rehabilitation work and to show the areas of proposed or completed work. Photographs of "before" conditions must be submitted even it the rehabilitation is completed; such documentation is necessary for the NPS to evaluate the effect of the rehabilitation on the historic structure. Where such documentation is not provided, review and evaluation cannot be completed, resulting in denial of the requested certification. Elevations and interior features and spaces of the buildings should be shown. Photographs should be numbered, dated and labeled with the property name, the view (e.g., east side) and a brief description of what is shown; photographs should be keyed to the application narrative, where appropriate. In many cases, it may be helpful to mark directly on the photographs the areas of proposed or completed work. Photographs may be black and white or color, but must show architectural features clearly. Photographs are not returnable. Check with the SHPO about whether or not a duplicate set of photographs is required for state files.

### The Secretary of the Interior's Standards for Rehabilitation

The Standards are to be applied to specific rehabilitation projects: in a reasonable manner, taking into consideration economic and technical feasibility. The application of these Standards to rehabilitation projects is to be the same as under the previous version so that a project previously acceptable would continue to under these Standards.

- 1. A property shall be used for its historic purpose or be placed in a new use that requires minimal change to the defining characteristics of the building and its site and environment..
- 2. The historic character of a property shall be retained and preserved. The removal of historic materials or alteration of features and spaces that characterize a property shall be avoided.-
- 3. Each property shall be recognized as a physical record of its time, place, and use. Changes that create a false sense of historical development, such as adding conjectural features or architectural elements from other buildings, shall not be undertaken.
- Most properties change over time; those changes that have acquired historic significance in their own right shall be retained and preserved.
- Distinctive features, finishes, and construction techniques or examples of craftsmanship that characterize a historic property shall be preserved.

- 6. Deteriorated historic features shall be repaired rather than replaced. Where the severity of deterioration requires replacement of a distinctive feature, the new feature shall match the old in design, color, texture, and other visual qualities and, where possible, materials. Replacement of missing features shall be substantiated by documentary, evidence.
- 7. Chemical or physical treatments, such as sandblasting, that cause damage to historic materials shall not be used. The surface cleaning of structures, if appropriate, shall be undertaken using the gentlest means possible.
- 8. Significant archeological resources affected by a project shall be protected and preserved. If such resources must be disturbed, mitigation measures shall be undertaken.
- 9. New additions, exterior alterations, or related new construction shall not destroy historic materials that characterize the property, The new work shall be differentiated from the old and shall be compatible with the massing, sire, scale, and architectural features to protect the historic integrity of the property and its environment.
- 10. New additions and adjacent or related new construction shall be undertaken in such a manner that if removed in the future, the essential form and integrity of the historic property and its environment would be unimpaired.

**Drawings or sketches.** Drawings or sketches are required for proposed work to show planned alterations or new construction. They must be sufficiently detailed to show existing wall configurations and anticipated changes. Documentation should include floor plans and, where necessary, sections and elevations. All drawings and sketches submitted with the application should be numbered and should be keyed to the application narrative.

Project Amendments. If changes are made to a project at any time after submission of the initial application, submit a continuation/amendment sheet. Provide the name and address of the property. Check the appropriate box noting whether the form amends or continues Part 1 or Part 2, and give the NPS project number assigned to the project (if known). Indicate changes in project work, giving the originally proposed treatment and the amended work item description. Give the owner's name. Sign and date the form. Give the owner's address and daytime telephone number. Return it to the SHPO. Approval of amendments to applications is conveyed only in writing by duly authorized officials of the NPS.

**Special Rehabilitation Concerns.** Several areas of special concern have been identified in reviewing and evaluating preservation tax incentives projects. The "Guidelines for Rehabilitating Historic

Buildings" accompanying the Secretary of the Interior's "Standards for Rehabilitation" provide further guidance on these and other areas of concern. Owners should take care to address these concerns when undertaking work in any of the areas described below.

Storefront alterations. Justify changes to storefronts and provide photographs of the areas to be altered. Information should be provided on when the existing storefront was constructed; on what the existing physical conditions are; and if a historical treatment is planned, on what evidence the proposed new storefront designs are based. Owners are strongly discouraged from introducing a storefront or new design element on the ground floor that alters the character of the structure and its relationship with the street or that causes destruction of significant historic material.

New heating, ventilating and air-conditioning (HVAC) systems. Indicate what effect the new equipment and ductwork will have on the historic building material. If the HVAC system requires removal of windows or portions of walls, describe alternative systems considered in the design process and why the proposed system was chosen. Installation of systems that cause damage to the historic building material or cause visual loss of character may result in denial of certification.

Exam	noles
LAUII	PICO

NUMBE
1

Architectural feature facade brick

Approximate date of feature ca. 1880

Describe existing feature and its condition:

Hard pressed red brick with butter joints in good condition. Mortar mostly sound, but deteriorated and missing around down spout at east end of facade. Some graffiti at first floor.

Describe work and impact on existing feature:

Will selectively hand clean deteriorated joints and repoint with mortar and joint width to match existing (see spec. pp 33-35); chemically clean graffiti from first floor piers (see spec. pp. 30-31).

211

Photo no. 3, 6 Drawing no.

NUMBER

Architectural feature main staircase

Approximate date of feature ca. 1880/Unknown

Original stair exists between 1st and 3rd floors. Some balusters missing and treads worn. Later stair from 3rd to 8th floors.

Photo no. 9, 10 Drawing no. A-12

Describe work and impact on existing feature:

Replace missing balusters with matching pieces. send painted banisters and balusters and varnish. Replace treads as needed. Sand and paint stairs. Retain later stair as is. New windows. Indicate the condition of existing windows (sash, glazing, muntins, etc.) and the reasons for replacement. Photographs and window surveys must be provided as evidence of severe deterioration; provide data on the cost of repairing existing windows versus installing replacements. Owners are strongly encouraged to retain and repair historic windows. The use of tinted glass often causes a change in character and may result in denial of certification. Where replacement of existing windows appears justified by supporting documentation and where the windows are an integral part of the building's design and character, replacement sash should match the original in material, size, pane-configuration, color, trim details, and planar and reflective qualities. Scaled drawings comparing the existing windows should with the replacement windows should be provided.

Interior partitions and removing interior plaster. Indicate existing condition of the interior and document with photographs. Show which walls are to be removed or altered. Note whether trim elements and plaster will be affected. Owners are strongly discouraged from changing floor plans unnecessarily and from exposing masonry surfaces unless this condition is supported by historical evidence.

Exterior masonry cleaning. Owners are strongly encouraged to clean masonry only when necessary to halt deterioration or to remove graffiti and steins. Indicate the condition of each material to be cleaned. Specify what the cleaning is intended to accomplish (soot removal, paint removal, etc.) and what process is to be used on each masonry element. When chemical systems are to be em-

ployed, specify theproduct to be used and send supporting technical data (product data sheets and material safety data sheets) that indicate the hazardous ingredients and their pH levels. For all exterior masonry cleaning, send specifications For instance, masonry cleaning involving chemical processes should give cleaning products to be used on each type of masonry, the strengths (percentage), water pressure to be used measured in pounds per square inch (psi), amount of water to be used, measured in gallons per minute (gpm), and the nozzle tip (measured in degrees) to be used. Provide supporting materiel to show that method selected is the gentlest means possible for this project. Summarize results of test patches, and include close-up color photographs of masonry surface before and after cleaning as evidence.

Exterior masonry repair. Indicate deteriorated areas that require repair and provide evidence that repointing mortar will match the original in composition (i.e, ratio of lime, cement, sand and any additives), color, texture, and tooling. Owners are encouraged to repoint only those portions of the masonry that require repair.

New additions and new construction. New exterior additions may alter the appearance and form of historic structures, and may cause denial of certification. Similarly, new construction, including site work, may affect the relationship of a structure to its site, change the historic landscape, or otherwise damage the historic character of the property. Owners are strongly encouraged to obtain NPS approval before undertaking projects involving new construction.

### REQUEST FOR CERTIFICATION OF COMPLETED WORK

A project does not become a "certified rehabilitation" eligible for tax incentives until it is completed and so designated by the NPS. Upon completion of the rehabilitation project, the owner or owners must submit a Request for Certification of Completed Work, including photographs of completed work (both exterior and interior, preferably showing the same views as shown in "before" photographs). If a Part 2 application has not been submitted in advance of project completion, it must accompany the Request for Certification of Completed Work. If a Part 2 application has been submitted for review of proposed or on-going work, submit only the Request for Certification of Completed Work.

Return the completed form to the SHPO. The completed project may be inspected by an authorized representative of the Secretary to determine if the work meets the "Standards for Behabilitation."

To complete the Request for Certification of Completed Work:

- 1. Name of property. Provide the name and address of the property exactly as furnished in the Historic Preservation Certification Application—Part 2. Indicate whether the property is a certified historic structure. If so, give the date of certification by the NPS or the date of listing in the National Register.
- 2. **Data on rehabilitation project.** Give the project number that the NPS assigned to the rehabilitation project, if known. Give the date on which the project started and the dare on which the rehabilitation

The fee for review of proposed or ongoing rehabilitation work for all projects over \$20,000 is \$250. The fee for review of completed rehabilitation work is based on the dollar amount spent on the rehabilitation as follows:

Fee	Size of Rehabilitation
\$500	\$20,000 to \$99,000
\$800	\$100,000 to \$499,999
\$1,500	\$500,000 to \$999,999
\$2,500	\$1,000,000 or more

If a review of proposed or ongoing rehabilitation work has been made prior to submission of the Request for Certification of Completed Work, the NPS will deduct \$250 from the total owed for review of completed rehabilitation work. In general, each rehabilitation of a certified historic structure will be considered a separate project when computing the amount of the fee. Consult 36 CFR Part 67.11 for exceptions.

Additional guidance on any aspect of this application may be obtained from the SHPO and the NPS regional offices. Also available from these sources are the "Guidelines for Rehabilitating Historic Buildings," the National Register publications mentioned above, and a series of Preservation Briefs on topics such as cleaning, coating and repair of masonry, storefront alterations, exterior paint problems, and window treatments.

### PRIVACY ACT AND PAPERWORK REDUCTION ACT NOTICE

work was completed and the building placed in service. Provide the costs attributed solely to the rehabilitation of the historic structure. Give the costs of new construction associated with the rehabilitation, including additions, site work, parking lots and landscaping.

3. Owner. Give the owner's name. Sign and date the application. If the owner is a corporation or partnership, give both the name of that entity and the name of the person who signs the form. Give the owner's Social Security or Taxpayer Identification Number. Provide the owner's address and daytime telephone number. By his or her signature, the owner certifies that in his or her opinion the completed rehabilitation meets the Secretary of the Interior's "Standards for Rehabilitation" and is consistent with the work described in the Historic Preservation Certification Application-Part 2. On the reverse of the form, give the names, addresses and Social Security or Taxpayer Identification Numbers of all owners. Give the NPS project number at the top of the page. Use a blank sheet of paper if necessary, taking care to put the NPS project number at the top of any extra pages.

Processing Fees. In accordance with regulations set forth in 36 CFR Part 67.11, application processing tees will be charged for reviews of requests for certifications of rehabilitation except for projects under \$20,000. Do not send payment until requested to do so. The NPS will notify the applicant of the amount to be submitted by return mail. Final action will not be taken on an application until payment is received. Fees are non refundable.

The information requested in this application is being collected through the State Historic Preservation Offices to enable the Secretary of the Interior to evaluate the historic significance of structures located in historic districts, and to evaluate the rehabilitation of such structures. The primary use of this information by the Secretary of the Interior will be to certify to the Secretary of the Treasury that the applicant is eligible for Federal tax incentives, or that the applicant is not eligible for such incentives. Response to this request is required to obtain a benefit. This application is used by the Internal Revenue Service to compute the value of the historic preservation investment tax credit and other tax incentives accruing to qualified owners of certified historic structures; the application must be attached to income tax returns. Collection of owners' Social Security Numbers or Taxpayers Identification Numbers is authorized by Internal Revenue Code section 6109.

Public reporting burden for this form is estimated to average 2.5 hours per response including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding this burden estimate or any aspect of this form may be made to the Chief, Administrative Services Division, National Park Service, P.O. Box 37127, Washington, DC 20013-7127 and to the Office of Management and Budget, Paperwork Reduction Project Number 1024-0009, Washington, DC 20503.

National Park Service Regional Offices (Cultural Programs) Issuing Certifications National Park Service Regional States within Region—For address and telephone number of the pertinent State Historic Preservation Office, contact the National Park Service Regional Office.

Alaska Region Preservation Tax Incentives National Park Service 2525 Gambell Street Anchorage, Alaska 99503-2892 (907) 257-2543 Alaska

Mid-Atlantic Region
Preservation Tax Incentives
National Park Service
Office of Cultural Programs
U.S. Customs House, 2nd Floor
Second and Chestnut Streets
Philadelphia, Pennsylvania 19106
(215) 597-5129

Connecticut, Delaware, District of Columbia. Indiana, Maine, Maryland, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Ohio, Pennsylvania, Rhode Island, Vermont. Virginia, West Virginia

Rocky Mountain Region Preservation Tax Incentives National Park Service 12795 West Alameda Parkway P.O. Box 25287 Denver, Colorado 80225 (303) 969-2875) Colorado, Illinois, Iowa, Kansas, Minnesota, Missouri, Montana, Nebraska, New Mexico, North Dakota, Oklahoma, South Dakota, Texas, Utah, Wisconsin, Wyoming

Southern Region Preservation Tax Incentives National Park Service 75 Spring Street, SW Atlanta, Georgia (404) 331-2632 Alabama, Arkansas, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, Puerto Rico, South Carolina, Tennessee, Virgin Islands

Western Region Preservation Tax Incentives National Park Service 600 Harrison Street Suite 600 San Francisco, California 94107-1372 (415) 744-3988 Arizona, California, Hawaii, Idaho, Nevada, Oregon, Washington

222

NATIONAL PARK SERVICE

JUL 22 1996

### HISTORIC PRESERVATION CERTIFICATION APPLICATION PART 1 — EYALUATION OF SIGNIFICANCE

NPS Office Use Only	KECLIE	NPS Office Aller Atherorical Commission
73000357	OCT 9 1996	0938-96-AL(627
instructions: Read the instructions carefully before comp. Type of plint clearly in black link. If additional space is ne		idejuniess a completed application form has been received.  sk sheets.
1 Name of property: The Bernstei	n Höuse	
Accress of property Street 206 Gates Av	renue SE	
Cay Huntsville	County Madison	State Alabama Zup 35801
Name of historic district: Twickenham I	distoric District (Entere	ed Jan. 4, 1973)
Y National Register district	te or local district	ic district
2 Check nature of request:		
	sere appropriate, the land area on which suc- for a charitable contribution for conservation to the significance of the above-named distri- the National Register, within a potential historic district contributes	to the algoriticance of the district.
3 Project contact:		
Name Margaret Ans	ne Coldsmith Hanay	
Street 231 East Sic	de Square City	Huntsville

	<u>Alabana</u>	Ζφ _	35801	Daysime Telephone Number 205-534-0931
4. Owner:				
latsification to 18 U.S.C Name	of factual representations in this application 1801.	Hanav Sign	sanctions of up to	that I own the property described above. I understand the \$10,000 in fines or imprisonment for up to five years pursuit.  There III Herebite 7/19/91
Social Secu	urity or Taxpayer Identification Number	417-62-6243		
Street	231 East Side Square		Cit	Huntsville
State	Alabama	Zip	35801	Daytime Telephone Number (205) 534-0
contributer		fistrict and is a "certified 980.		is a "certified historic structure" for the purpose of rehable." for a charitable contribution for conservation purposes in
Dreimone Ca	derminations:			
Historic P	o meet the National Register Criteria for E reservation Officer according to the proces appear to meet the National Register Crite	tures set forth in 36 CFI ria for Evaluation and w	R Part 60. Ill likely not be lis	
appears to Appears to State Historic Appears to Register n	o meet the National Register Criteria for E reservation Officer according to the proces appear to meet the National Register Crite o contribute to the significance of a potent foric Preservation Officer. o contribute to the significance of a registe nomination or district documentation on file	dures set forth in 36 CFI ria for Evaluation and w liat historic district, which ared historic district but it with the NPS.	R Part 60. Ill likely not be list will likely be lists	
appears to Historic Pi does not a appears to State Hist appears to Register n	o meet the National Register Criteria for E reservation Officer according to the proces appear to meet the National Register Crite o contribute to the significance of a potent tonic Preservation Officer. o contribute to the significance of a registe nomination or district documentation on file appear to qualify as a certified historic stru-	dures set forth in 36 CFI ria for Evaluation and w lat historic district, which ared historic district but it with the NPS, acture.	R Part 60.  It likely not be list will likely be liste s outside the pen	ted in the National Register. ed in the National Register of Historic Places if nominated

# **HISTORIC PRESERVATION**

<del></del>	FICATION APPLICATION—	NPS Office Use Only			
The Bernstein House Property Name	PART 1	Project Number:			
206 Gates Avenue Property Address					
Description of physical appearance:					
This building is located within the national h	istoric district, Twickenham, i	in the city of Huntsville, Madison			
County Alabama. This rectangular in shape t	wo story wood frame 1818 Fe	deral Period original main body with			
1834 Creek Revival one story brick wings and grand hall and an 1883 one story wood frame kitchen wing similar					
in style to the 1834 addition, has been used a	is a residence for the last 178 y	years. The house was last remodeled			
during 19?4 Colonial Revival configuration,	the name of the architect is un	ıknown.			
An advertisement from the Alabama Republisale as follows: "Lots #62 and #70 - On these		advertises this house offered at public			
Date of Construction. 1818 Source	of Date: Advertisement "Alaba	ama Republican"			
Date(s) of Alteration(s): 1834, 1883 and 1924					
Has building been moved?  yes  no. If so, wh	nen?				

The Twickenham Historic District is an intact group of architecturally significant residential structures constructed

between 1814 and the 1990's. The district was established January 4, 1973 and encompasses a living architectural

museum of structures representing styles including Gothic, Eastlake, Queen Anne, Federal, and Classical Revival

as well as modern homes. The principal of this district is that it recognizes that every period of architecture, old or recent is worthy of respect and that it is beneficial to study the various periods side by side. The uniqueness that

the subject offers the district is that through the years it has undergone three renovations changing it from one

architectural style to another. In 1818 it was a typical Federal Period two story wood frame cottage. During 1834 when the brick wings and grand hall were added it was classified Greek Revival. The most recent renovation -

1924 - changed the house to Colonial Revival, one of the few representations of that style in the district. Each

renovation of the subject has respected the integrity of a particular style. Today the proposed adaptive reuse plan is to convert the house from residential to office which is in keeping with the zoning of the subject's block

bounded by Gates Avenue, Green,

Photographs and maps.

Attach photographs and maps to application.

Continuation sheets attached: yes

Form 10-168b Rev. 12/90

### CONTINUATION/AMENDMENT SHEET NO. 1

OMB Approved

The Bernstein House Property Name	PART 1 ITEM 5  Historic Preservation
Topony Hame	Certification Application
206 Gates Avenue	
Property Address	
	ly before completing. Type, or print clearly in black ink. Use this sheet to continue sections of the Part 1 lication already submitted. Photocopy additional sheets as needed.
This sheet: X continues Part 1 Cor	ntinues Part 2  amends Part 1  amends Part 2  NPS Project Number:

are a new convenient and well furnished two story framed house with two large rooms and a passageway below and two rooms and a closet above the stairs, a new brick kitchen and meat house, a good frame stable and a well enclosed garden." The east and west brick wings and the grand hall connecting them to the main body house were added in 1834 as well as the second story grand hall as verified by the date stamped on the header head of the one story west wing. This addition appears on the 1861 early map of Huntsville, The one story wooden kitchen wing was added in 1883, separated from the main body of the house by a breezeway. The date of this addition is suggested by the date of construction, 1883, of the Victorian house built that year on the adjoining lot. The Subject's brick kitchen and meat house on the adjoining lot would have had to be demolished at t t time to accommodate the new Victorian house. The 1888 Sanborn map recognizes the kitchen wing not present on the 1861 map or the 1871 Bard's View of Huntsville, As late as 1913 the breezeway appears on the Sanborn map. Sometime after that date but before the 1924 renovation the breezeway was enclosed to add

an additional room between the 1834 west wing and the kitchen. The present day interior has not been altered since the 1924 renovation, The date of that renovation was verified by the current owner's late father, Lawrence B, Goldsmith who was fifteen years old at the time of the renovation. It should be noted here that the house was purchased by the current owner's great great grandfather, Morris Bernstein in 1874, The house has remained in the same family for the last 122 years.

Name	Margaret Anne Goldsmith Han	aw Signature		<u></u>	Date
Street	231 East Side Square		City	Huntsville	
Stale	Alabama Zip 35	801	Daytime Teleph	none Number	(205) 534-0931
NPS (	Office Use Only				
-	ne National Park Service has detern ehabilitation."	nined that these p	project amendm	ents meet the	Secretary of the Interior's "Standards for
	ne National Park Service has detern r Rehabilitation" if the attached cond		project amendm	ents will meet	the Secretary of the Interior's "Standards
	ne National Park Service has deternards for Rehabilitation."	nined that these p	project amendm	ents do not me	eet the Secretary of the Interior's "Stan-
Date	National Park	Service Authorized	Signature	· <u>.</u>	National Park Service Office/Telephone NO.
□Se	ee Attachments				

227

Form 10-168b Rev. 12/90

### CONTINUATION/AMENDMENT SHEET NO. 2

OMB Approved No. 1024-0009

The Bernstein House	Historic Preservation		
Property Name			
200 0	Certification Application		
206 Gates Avenue	<u></u>		
Property Address			
	e completing. Type, or print clearly in black ink. Use this sheet to continue sections of the Part 1 already submitted. Photocopy additional sheets as needed.		
This sheet: X continues Part 1 continues	Part 2 amends Part 1 amends Part 2 NPS Project Number:		

DADER A TENERAL C

During the 1924 renovation stucco was applied to give a uniform finish to the first story wood frame main body and kitchen wing as well as the brick wings, the second story remained wood clapboard. The 1924 cement fiber shingle gambrel roof replaced the original symmetrical gabled roof on the two story main body section altering the Federal Period five opening design. On the second story of the north and south elevations the windows on the east and west ends were covered by eaves. The two windows on the first floor north elevation located directly below the eaves were sealed for the sake of symmetry. Windows on the first floor south elevation were relocated to accommodate a bathroom and porches. At the same time the gambrel roof was added, a standing seam terne metal roof was added over the one story 1834 east and west wings and the 1883 kitchen wing and porches. New terne metal gutters were also added, the 1834 copper drains and header heads remained. All existing chimneys were removed, the one chimney that exists

today was added in 1924 to accommodate the coal fired furnace installed in the basement and vented to steam radiators throughout the house. In 1950 the coal furnace was replaced by a gas furnace. The windows were replaced by regularly spaced double hung six by six and eight over eight light windows. The front porch was tiled with six by six tiles and columns of doric variation either located there previously or installed at that time. A side porch was added connecting the back door of the east wing to the rear of the house. The porch has six by six tiles identical to the front porch, an overhead lattice over the east elevation, and a standing seam terne

Name Margaret Anne Goldsmith Hanaw Signature Date

City Huntsville

Street 231 East Side Square		City]	Huntsville		
Stale Alabama Zip 35801		Daytime Telephon	e Number	(205) 534-0931	
NPS Office Use O	Only				
☐ The National Pa	ark Service has d	etermined that	these project amendment	s meet the	Secretary of the Interior's "Standards for
	ark Service has d		• •	s will meet	the Secretary of the Interior's "Standards
The National Padards for Rehab		etermined that t	these project amendment	s do not me	eet the Secretary of the Interior's "Stan-
Date	National	Park Service Aut	horized Signature		National Park Service Office/Telephone NO.

See Attachments

Form 10-168b Rev. 12/90

### CONTINUATION/AMENDMENT SHEET NO. 3

OMB Approved No. 1024-0009

The Bernstein House	<ul> <li>Historic Preservation</li> <li>Certification Application</li> </ul>
Property Name 206 Gates Avenue	
This sheet: X continues Part 1 continues	Part 2 amends Part 1 amends Part 2 NPS Project Number:

metal roof over the south elevation. The porch is lined with small wooden perimeter columns replicas of the front porch columns. At the south elevation of the side porch at the rear opening of the original main body passageway a section of the original wooden back porch was enclosed as a bath. The remaining section of the older wooden back porch extending from the bathroom mentioned above to the east end of the kitchen wing was not changed. A small porch at the west rear corner of the kitchen wing may have been added earlier or it may have been carved out of the west rear corner of the kitchen in 1924. At the back of this small porch are stairs leading to the basement.

On the interior the Federal period main body is separated from the 1834 grand halls by a lateral wall both upstairs and down. During the 1924 renovation the entrances to the passageways on both floors separating the Federal Period main body rooms were sealed and the interiors finished out with closets. On the first floor the north

walls of the two main body rooms were moved southerly three and a half feet to accommodate a narrow interior hall. This 27 foot interior hall sealed the old main body passageway and provided new openings to the two main body rooms. It then extended westerly to connect to the old breezeway which by 1924 had been enclosed. The second floor passageway was sealed at its opening onto the grand hall. During the 1924 renovation, to provide a new traffic flow, swinging doors were installed between the breezeway room and the 1834 west wing. The went end of the old breeze-

Name Margaret Anne Goldsmith Har	1aw_ Signature	Date
Street 231 East Side Square	City Hunts	ville
Stale Alabama Zip3:	5801 Daytime Telephone Num	ber(205) 534-0931
NPS Office Use Only		
☐ The National Park Service has deter	mined that these project amendments mee	et the Secretary of the Interior's "Standards for
Rehabilitation."	mined that there are instruments will be	ment the Secretary of the Interior's "Standards
for Rehabilitation" if the attached cor	• •	meet the Secretary of the Interior's "Standards
☐ The National Park Service has deter dards for Rehabilitation."	mined that these project amendments do n	ot meet the Secretary of the Interior's "Stan-
Date National Park	Service Authorized Signature	National Park Service Office/Telephone NO.
See Attachments		

Form 10-168b Rev. 12/90

## CONTINUATION/AMENDMENT SHEET NO. 4

OMB Approved No. 1024-0009

The Bernstein House	Historic Preservation			
Property Name				
206 Gates Avenue	Certification Application			
Property Address				
	ore completing. Type, or print clearly in black ink. Use this sheet to continue sections of the Part 1 n already submitted. Photocopy additional sheets as needed.			
This sheet: X continues Part 1 continue	s Part 2 amends Part 1 amends Part 2 NPS Project Number:			

DADE 1 TEEN 6

way which had accommodated passage between the kitchen and an opening to the grand hall was enclosed with two closets, one opening onto the new interior hall and one onto the kitchen. A portion of the west side of the kitchen was enclosed to accommodate a storage pantry and a butler's pantry. The earlier back porch bath was removed and a bath was added at the south end of the first story passageway in the middle of the old back porch. The ceramic tile and bath fixtures installed in the bath at that time remain today. Upstairs a bath was added between the main body rooms at the southern end of the old passageway. The upstairs bath was modernized in 1950 at the same time a second upstairs bath was installed in the east corner closet beneath the roof eave. The grand hall on the first floor was not changed during the 1924 renovation, nor were the 1834 east and west brick wings. The east end of the grand hall on the second floor was enclosed to create a small room and, as mentioned above, the entrance to the old passageway from the

grand hall was sealed. Interior walls on the first floor were covered with plaster and applied decorative wood. In the kitchen, breezeway room, and on the second floor throughout plaster was applied to the walls but no decorative wood detailing. The original random width wide pine tongue and groove floors throughout were covered by a second flooring of narrow oak tongue and groove boards. The kitchen and breezeway rooms have been refloored from time to time and are today covered with vinyl tile. Solid mahogany doors and

Name	Margaret Anne Gol	dsmith	Hanaw	Signature			Date
Street	231 East Side Squar	e			City_	Huntsville	
Stale	Alabama	Zip _	35801	····	Daytime Telep	hone Number	(205) 534-0931
NPS	Office Use Only						
R	ehabilitation."			·			Secretary of the Interior's "Standards for the Secretary of the Interior's "Standards
	or Rehabilitation" if the a				roject amenun	ichts will meet	the decretary of the interior 3 Standards
_	he National Park Servic ards for Rehabilitation."	e has d	etermined	d that these p	roject amendm	ents do not me	eet the Secretary of the Interior's "Stan-
Date		National	Park Serv	ice Authorized	Signature		National Park Service Office/Telephone NO.
Пs	ee Attachments						

233

Form	10-168b
Rev. 1	2/90

## CONTINUATION/AMENDMENT SHEET

OMB Approved No. 1024-0009

NO. 5

The Bernstein House	PART LITEM 5	
Property Name	Historic Preservation	
206 Gates Avenue	Certification Application	
Property Address		
· · · · · · · · · · · · · · · · · · ·	re completing. Type, or print clearly in black ink. Use this sheet to continue sections of the Part 1 already submitted. Photocopy additional sheets as needed.	
This sheet: X continues Part 1 _ continues	Part 2 amends Part 1 amends Part 2 NPS Project Number:	

and a new one with turned balusters and newel post, mahogany stair treads and bannister was installed supported by the south side of the grand hall. The front door with leaded glass overhead and side panels replaced the earlier front door. Early 20th century scenes and chandeliers were added in both grand halls, the stairway, and throughout the first floor with the exception of the kitchen, Baseboards, molding, wood trim and all hardware replaced earlier versions. A Colonial Revival one car garage with Tuscan half columns and stucco exterior was built in the rear yard.

The subject property is located within the Twickenham Historic District which contains some three hundred structures mainly residential but some used for professional purposes spanning the period 1814 to the 1990's, Within the district there are 58 homes (including 206 Gates) built prior to 1860. The subject is built of similar materials and is similar in scale (with its 1834 and 1883 additions) to many of the larger structures in the district built between 1814 and 1883, and occupies a lot similar in size to other structures in the district.

Name <u>Margaret A</u>	nne Goldsmith Hanaw Signa	ature	Date
Street 231 East Si	de Square	City Huntsville	е
Stale <u>Alabama</u>	Zip35801	Daytime Telephone Number_	(205) 534-0931
Rehabilitation."  The National Pafor Rehabilitation	ark Service has determined that the ark Service has determined that the art ached conditions are ark Service has determined that the ark Service has determined the ark Service ha	these project amendments will mee met.	e Secretary of the Interior's "Standards for et the Secretary of the Interior's "Standards neet the Secretary of the Interior's "Stan-
Date	National Park Service Auti	horized Signature	National Park Service Office/Telephone NO.


Approved	CONTINUATION AMENDMENT STILL I NO. 1
The Bernstein House	PART 1 ITEM 6
Property Name	Historic Preservation
	Certification Application
206 Gates Avenue	
Property Address	
	arefully before completing. Type, or print clearly in black ink. Use this sheet to continue sections of the Part 1 n application already submitted. Photocopy additional sheets as needed.
This sheet: X continues Part 1	continues Part 2 amends Part 1 amends Part 2 NPS Project Number:


Williams and Franklin Streets. The plan is not to alter the exterior and on the interior retain the 1924 decor. The only interior changes to be made will be minor alterations to the floor plan restoring the first floor 1818 and 1883 passageways to accommodate public access to the bath and kitchen. Openings between the breezeway room and the int. hall as well as the entrance to the east and west wing rooms will be enclosed with doors for private office use. (see part 2 for further details.)

Name	Margaret Anne C	Goldsmith	<u>Hanaw</u> Signa	ture		Date
Street	231 East Side Sq	uare		City	Huntsville	
Stale	Alabama	Zip	35801	Daytime Telepl	none Number	(205) 534-0931
NPS	Office Use Only		<del></del>			
R DT	lehabilitation."	rvice has d	etermined that t	hese project amendm		Secretary of the Interior's "Standards for the Secretary of the Interior's "Standards
	he National Park Se ards for Rehabilitatio		etermined that t	nese project amendm	ents do not me	eet the Secretary of the Interior's "Stan-
Date	<del></del>	National	Park Service Auth	orized Signature		National Park Service Office/Telephone NO.
□s	ee Attachments					


# EARLY MAPS OF HUNTSVILLE DETAILING THE IMMEDIATE NEIGHBORHOOD OF THE SUBJECT PROPERTY

- 1. 1861 Map of Huntsville.
- 2. 1871 Bards View of Huntsville.
- 3. 1888 Sanborn Map of Huntsville.
- 4. 1913 Sanborn Map of Huntsville.







1861 Map of Huntsville, Alabama




1871 View of Huntsville, Alabama



1888 Sanborn Map of Huntsville, Alabama




1913 Sanborn Map of Huntsville, Alabama



1st Floor
Existing Floor Plan
Drawing No. 1


The Bernstein House 206 Gates Avenue SE (SECOND FLOOR)




\* ORIGINAL 1818 PASSAGEWAY ENCLOSED WITH CLOSETS 1924

> 206 GATES 2ND FLOOR (EXISTING FLOOR PLAN)

2nd Floor Existing Floor Plan Drawing No. 1-A



1st Floor Proposed Floor Plan Drawing No. 2 The Bernstein House 206 Gates Avenue SE (SECOND FLOOR)



\* ORIGINAL 1818 PASSAGEWAY ENCLOSED WITH CLOSETS 1924

206 GATES 2ND FLOOR
(NO CHANGES PROPOSED TO 2ND FLOOR PLAN)
Drawing 2-A

2nd Floor Proposed Floor Plan Drawing No. 2-A



# UNITED STA DEPARTMENT OF THE INTERIOR

NATIONAL PARK SERVICE

JUL 22 1996

RECEIVED

HISTORIC PRESERVATION CERTIFICATION APPLICATION
PART 2 — DESCRIPTION OF NELLABILITATION

NPS Office Use Only	197	NEOLI	MPS Onice Use only Mistorical Commission	
7 3000 35	7	<b>GEP</b> 2 6 1996	Project No: AL-96	-0586(627)
Type or print dearly in black ink. Revenue Service. The decision by	is carefully before completing applicate it additional space is needed, use con the National Park Service with respi- tive application form and other, supplies axe precedence.	ntinuation sheets or attach blass	e besis of the descriptions in	may be provided to the internal this application form, in the
1. Name of property:	The Bernstein Bous	e	· · · · · · · · · · · · · · · · · · ·	
Address of property: Street	206 Gates Avenue,	SE		
Cry_	Huntsville	County Madison	Sum Alabama	7e 35801
Co Located in a Registered Naz a Pan 1 Application (Eve	istorial Register of Historic Places; p Located Instance District; specify: Histori Histori Luztion of Significance) been submittee Date of certification	within the Twick of District listed of Places January of lor this project? The project of the pr	0 % Part 1 and	
Data on building and rehabit     Date building constructed: 18	Hallon project: 118 with additions in	1834 and 1883.	g units before rehabilitation	N/A
Type of construction: Water	frame and brick	Number that are lo	m-moderale income:	N/A
Use(s) before rehabilitation:	Residence	Total number of housin	g units after rehabilitation:	N/A
Proposed (seats) after rehability	office	Number that ere in	- modernia (nome:	N/A

Estimated cost of rehabilit	alion:	Floor area before rehabilitation:	3750 Sc	quare Feet
This application covers ph	ase number or a sing	Ploor area before rehabilitation: phase rehabilitation. Floor area after rehabilitation:	3750 Sc	mare Feet
Project/phase start date (	Summer of 1996	Completion date (est.) Pa	11 of 1996	
3. Project contact: Name <u>Hargar</u> e	et Anne Goldsmith Hana at Side Square			
State Alabami		Daytime Telephone A	tumber (205)	534-0931
4. Owner Indivi	dual fee simple owners			
Name <u>Margaret A</u> Organization <u>N/A</u>	nne Goldsmith Hansw s	Security No. 417-62-624	la W Han	
	st Side Square	Cev Bu		
StateAlaban	sa zo 358			534-0931
NPS Office Use Only	*			
The National Park Service h	as reviewed the "Historic Confidention A	oplication Part 2" for the above-named p	roperty and has det	armined:
meets the Secretary	of the Intenor's "Standards for Rehabil	historic character of the property of the di- tation." This letter is a prefirmary determi- structure" after rehabilitation work is comp	nation only, since a	
that the rehabilitation	n or proposed rehabilitation will meet th	Secretary of the interior's "Standards for	Rehabilitation" I the	e attached conditions are met.
		stent with the historic character of the properties for Rahabilitation." A copy of this form		
11/14/16	Bufinde,	there .	: 202.3	47-9537
Date	Netional Park Service Authorize	d Signature		Service Office/Telephone No.

## 247

and peeling paint standing seam section.

# HISTORIC PRESERVATION CERTIFICATION APPLICATION— PART 2

The Bernstein House Property Name		PART 2		NPS Office Use Only	
				Project Number:	
206 Ga	tes Avenue				
Property Addre	ess	<del>_</del>			
5 DETAIL	ED DESCRIPTION OF REHABILITATION	PRESERVATION WORK-	-includes site work. new	construction. alterations. etc. Complete blocks below.	
NUMBER	Architectural feature Site and I	Environment	Describe work and	impact on existing feature:	
NUMBER  Approximate date of feature 1924 and 1975  Describe existing feature and its condition:  Site does not meet parking requirements of 1 space for every 400 square feet of office determined by zoning ordinance. Garage, Circa 1924, needs roof repair and augmentation of interior structural supports & painting both interior and exterior. 1975 carport causes visual loss of character.  Photo no. 5.51-56Drawing no		ace for every 400 nance. Garage, Circa erior structural	as needed & repaint cottage white to mate and prepare for park timbers and river gra scaping including ce landscaping on Gree	carport. Repair roof, make structural repairs Circa 1924 garage located at rear lot line ch existing shade and texture. Grade yard area ing for ten cars using treated landscape ivel over pug mix. Retain all existing land- ntury old Japanese Magnolia. Add dense in Street side to screen parking. Prune, weed leges and mulch with pine bark.	
NUMBER 2				impact on existing feature: nent fiber shingles with surplus shingles.	
Cement fiber shingle and standing seam metal roof. Some broken and/or loose shingles, cement fiber shingle section. Leaks		_	alleys and vents. Prepare and paint standing of roof with alkaline metal primer and		

paint. Match the existing texture and color.

Photo no.	10, 12, 13 Drawing no	
	Architectural feature Gutters  Approximate date of feature 1924  Ited mainly at seams of interior built in gutters. If not his problem can cause damage to cornices.	Describe work and impact on existing feature:  Seal and caulk gutters at seams and repair areas of leaks.
Photo no	1–13 Drawing no.	
NUMBER 4 Paint fadir	Architectural feature Exterior paint  Approximate date of feature 1988  ag and peeling.	Describe work and impact on existing feature:  Prepare surface. Remove loose paint. Paint exterior cottage white and shutters Williamsburg green. Match existing colors and texture.
Photo no	1–13 Drawing no.	

# HISTORIC PRESERVATION CERTIFICATION APPLICATION....

The Re	motain House	APPLICATION-	NPS Office Use Only Project Number:	
Property Name	PA	RT 2		
206 Ga	tes Avenue			
Property Addre	ess			
Steam fired System no loss of char	Architectural feature Heating & Air Conditioning  Systems  Approximate date of feature 1950  xisting feature and its condition:  If furnace vented to radiators and 7 window A/C units.  Illonger energy efficient. Window units causing visual racter and deterioration to window frames.  2, 4, 5, 6, 7, 13, 31 & 49.  Drawing no.	Install new energy of split heavy pump up downstairs and conto be housed in attic	impact on existing feature:  efficient central WAC (Trane units) 3 ton p-stairs, 4 ton split AC with gas furnace hiplete duct work, Duct work and machinery c, basement, and existing closets. 1924 ill not be used but will remain to retain	
NUMBER 6	Architectural feature Electrical	Describe work and	impact on existing feature:	
	Approximate date of feature 1924	1	needed. Replace some existing wiring, outlets and outlets for office use. Remove outlets and	
Wiring 192	4. Upgrading of breaker boxes 1970. Portions of wiring	_	all new weatherproof G.F.C.I. receptacle at	

out of code and not sufficient to meet needs of office use or central WAC system. 220 a/c window unit outlets no longer needed.

new condensing unit. Install 40 and 60 BMP 240 volt single phase condensing unit circuit & 120 volt duplex receptacle in

Photo no. N/A Drawing no.	
NUMBER 7 Architectural feature Interior Paint Approximate date of feature 1988  Paint dirty and faded.	Describe work and impact on existing feature:  Paint interior bone-white throughout interior matching shades and texture used since 1924.
Photo no. 15–50 Drawing no	
NUMBER Architectural feature Carpentry  8 Approximate date of feature 1924	Describe work and impact on existing feature:  Cut opening in 1924 interior hall opposite original 1818
Existing residential floor plan not functional for office use.  Closets and interior hall installed 1924 on first floor sealing original 1818 passageway between main body rooms cutting off public bath access except through adjacent room.  Photo no Drawing no	main body entrance. Use trim from interior of existing east and west main body room closets. Remove closet shelves and back walls to provide passage from 1924 interior hall to bath to restore 1818 passageway and provide public access to bath without walking through adjacent rooms. Remove closet doors. Leave existing transoms and trim. Enclose openings with shelves using

# HISTORIC PRESERVATION CERTIFICATION APPLICATION.

NPS	Office	Use	Only	

The Bernstein House		DADT 0	in a onice ase only		
Property Name		_ PART 2	Project Number:		
206 Gates Avenue					
Property Addr	ess	_			
NUMBER 9	Architectural feature <u>Carpentry</u>	Describe work a	nd impact on existing feature:		
L	Approximate date of feature 19	<del></del>	lls and shelves of interior hall and kitchen closets		
Describe existing feature and its condition:			to re-open 1883 passageway to kitchen providing access from interior hall. Repair interior hall closet walls with plaster matching		
1924 Kitchen and interior hall closets sealed 1883 passage between kitchen and grand hall redirecting traffic flow the breezeway room, not functional for office use.		fic flow through place. Relocate n	existing wall surface. Repair floor. Leave kitchen closet door in place. Relocate mahogany door of interior hall closet to enclose breezeway room for private office use.		
Photo Nos. 33, 34 and 36 (1) Floor Plan					
Photo no.	Drawing no. (2) Propos	sed Floor Plan			
NUMBER	Architectural feature Carpentr	y Describe work at	nd impact on existing feature:		
10	Approximate date of feature 19	l l	een breezeway room and butler's pantry in place.		
In 1924 doors were framed in and swinging doors installed for		ors installed for 1	g door between breezeway room and the east		

access between the breezeway room and butlers pantry and between the breezeway room and west wing.

with shelves using recycled lumber from interior hall closet. Relocate mahogany door taken from interior hall closet to opening between interior hall and breezeway room to provide privacy.

		<u> </u>	
NUMBER 11	Architectural feature Carpentry	Describe work and impact on existing feature:	
	Approximate date of feature 1834	Enclose east and west wing room openings with casing, doors and panels per architectural drawings (attached). Use recycled	
Photos Nos. 17, 18, 19, 22 and 23.  Drawing Nos: (1) Floor plan  (2) Proposed floor plan  Photo no Drawing no (3) Architectural rendering for door enclosures to wing rooms.		door trim and install mahogany doors taken from main body east and west room closets to provide privacy for east and west	
		wing offices. The enclosures will be affixed in a manner to enable easy removal if not needed by future residential tenan or owner.	
NUMBER	Architectural feature Carpentry		
12	Approximate date of feature 1924	Describe work and impact on existing feature:  Install free standing shelf unit on east wall of kitchen (former	
No shelf to house micro-wave oven.		location of cook stove) to house micro-wave oven using surplus 1924 tiles as counter surface and bead board as back splash. The design to resemble counters built during 1920's.	
Photo no.	41 Drawing no.		

# HISTORIC PRESERVATION CERTIFICATION APPLICATION— NPS Office Use Only PART 2

The Bernstein House		PART 2		
Property Name		FART 2	Project Number:	
206 Gates Avenue				
Property Addre	ss			
NUMBER 13	Architectural feature Stairs	Describe work and	impact on existing feature:	
	Approximate date of feature 1924	_	t stair part joints at stress points where gthen and enhance installation.	
Describe existing feature and its condition:				
Reduction of water content due to drying and shrinkage of joints has loosened balustrade causing potential hazard.		- · ·		
Photo no. 4	2-45 Drawing no			
NUMBER	Architectural feature	Describe work and	impact on existing feature:	
	Approximate date of feature			

	Photo no	Drawing no	
	NUMBER 15	Architectural feature  Approximate date of feature	Describe work and impact on existing feature:
254	Photo no	Drawing no	
	NUMBER 16	Architectural featureApproximate date of feature	Describe work and impact on existing feature:
	Photo no. —	Drawing no	

Form 10-168b Rev. 12/90

## **CONTINUATION/AMENDMENT SHEET**

OMB Approved No. 1024-0009


The Bernstein House	Historic Preservation	
Property Name		
	Certification Application	
206 Gates Avenue	••	
Property Address		
	y before completing. Type, or print clearly in black ink. Use this sheet to continue sections of the Part 1 and on already submitted. Photocopy additional sheets as needed.	
This sheet:	tinues Part 2  amends Part 1  amends Part 2 NPS Project Number:	


### Part 2 Item 6

Air-Handling unit closet. Install 120 volt circuit to gas fired Air-Handling unit in basement and 120 volt duplex receptacle near Air-Handling Unit. Install 16 120 volt duplex outlets to service kitchen, baths, fax machine, computers and additional office needs. All electrical circuits, receptacles and wiring to be placed in existing closets, attic and basement, making every effort to screen from visibility.

Part 2 Item 8	Part 2 Item 8		
Photo Nos. 27, 28, 29, 30 and 34	lumber from closet shelves. Repair all passageway walls and backs of bookshelves with plaster		
Drawing No (1) existing floor plan Drawomg No (2) floor plan showing proposed alterations.	matching existing wall surface. Repair floor. Relocate mahogany closet doors to other locations to provide privacy for rooms without doors to be used as offices.		
Name Margaret Anne Goldsmith Hanaw Signature	Date		
Street 231 East Side Square City	Huntsville		
Stale Alabama Zip 35801 Daytime Telephone Number (205) 534-0931			
NPS Office Use Only			
<ul> <li>□ The National Park Service has determined that these project amendments meet the Secretary of the Interior's "Standards for Rehabilitation."</li> <li>□ The National Park Service has determined that these project amendments will meet the Secretary of the Interior's "Standards for Rehabilitation" if the attached conditions are met.</li> </ul>			
The National Park Service has determined that these project amendments do not meet the Secretary of the Interior's "Standards for Rehabilitation."			
Date National Park Service Authorized Signature	National Park Service Office/Telephone NO.		
See Attachments			

The Bernstein House 206 Gates Avenue SE Brawing No. 3





The Bernstein House 206 Cates Avenue SE Exhibit 1

### CITY OF HUNTSVILLE

### HUNTSVILLE HISTORICAL PRESERVATION COMMISSION

P. O. BOX 308 HUNTSVILLE, ALABAMA 35804-0308

April 11, 1995

Ms. Margaret Anne Goldsmith Hanaw 231 East Side Square Huntsville, Alabama 35801

Dear Ms. Hanaw:

Your application dated March 27, 1996, for a Certificate of Appropriateness to carry out the following work as proposed in your application to be done at 206 Gates Avenue SE, Huntsville, Alabama:

remove carport and put in 3 ft dense hedgerow on Green Street, paint standing seam section of roof, shingles to be sealed or replaced, gravel driveway

has been reviewed and approved by the Huntsville Historical Preservation Commission at its meeting held on April 8, 1996. The proposed work as set out in your application and any modifications imposed by the Commission must be followed. If you wish to do something different from the approved plan, you must submit a revised plan asking for an amendment to this approval.

This letter is your Certificate of Appropriateness and snould be submitted to the Huntsville Inspection Department in order to obtain your building permit.

Sincerely,

Will A. Lewis



Looking south from Gates
 Avenue. 1818 2 story wood
 frame main body, 2 one-story
 Greek Revival brick wings.
 1924 Colonial Revival gambrel
 roof with cement fiber shingles
 and standing seam metal roof
 over the one-story wings and
 porches. 1924 stucco exterior
 over one-story brick and wood
 sections.

Looking southwest from the intersection of Gates Ave. and Green St.





3. Looking southeast from Gates Ave.

4. Looking west from Green Street.





5. Looking north from the rear yard. 1924 side porch with lattice over east side of house. This addition altered the existing wood porch across the back that had extended from the Green Street side to the east wall of the kitchen wing.

5a. New HVAC.






6 Looking south from the west property line.

7. Looking north from the west property line. This view shows the early 1900 enclosure of the 1883 breezeway that separated the 1834 west wing from the 1883 kitchen wing.





7a. After renovation, the A/C unit removed.





9. Front porch detail, Doric style column.



10. Detail of Doric style columns on the 1924 side porch and cement shingle section of the 1924 roof.





11. 1924 side porch extending from the south side of the 1834 east wing.



2. Detail of the standing seam metal section of the 1924 roof.



14. Detail of the 1924 front door, brass knocker and door latch.



Back porch and detail

of the 1924 chimney.


262



15a. Closets removed, passageway opened connecting 1924 interior hall to bath.



First floor grand hall 17. looking east to the 1834 east wing.





16. Interior detail of the 1924 front door and leaded glass overhead and side panels.





Detail of the grand hall 18. 1924 chandelier.



East wing enclosure for private office.



19. Entrance to the 1834 east wing and 1924 glass-paneled French doors opening onto side porch.



19a. After enclosure.






19b. Door hung in enclosure.



20. Detail of the 1834 east wing.



22. Entrance to the 1834 west wing from the grand hall.







23. Detail of the 1834 west wing.



23a. West wing enclosure for private office use.




24. Detail of the 1834 west wing Classic Revival mantel.

25. 1924 light sconce.





27. Main entrance to the 1818 main body section looking north from the grand hall.





28a. 1818 passageway opened for bath access.

28. Detail of the main body entrance showing the 1924 interior hall and the sealed 1818 passageway.





30. 1818 main body west room, detail of the 1924 closet enclosure of the original passageway.



Southeast corner of the 31. east room of the 1818 main body and detail of the 1924 radiator.

29. 1818 main body detail, the remaining portion of the original passageway looking from the west room to the east room



30a. Closet sealed with bookshelves.





33. Detail of the 1924 linen closet enclosure of the passageway between the original main body and the 1883 kitchen wing.

32 Detail of the 1924 ceramic tile bath added at the south entrance to the original passageway.



34. Looking east from the enclosed breezeway room at the entrance to the 1924 interior hall.




35. Looking south from the west wing through the 1924 swinging doors to the breezeway room.





36. Detail of the 1924 kitchen closet enclosure of the passageway between the original main body and the kitchen wing.





36a. Kitchen closet removed, passage to kitchen reopened.




37. Detail of the 1924 mahogany door of the breezeway room.





39. Detail of the 1924 kitchen pantry.





40. Detail of the 1924 breezeway room wall sconces.




41. Detail of the 1924 decor of the 1883 kitchen wing.





42. Detail of the 1924 mahogany staircase looking west from the grand hall.



43. Detail of the turned balustrades and newel post.



44. Detail of the balustrades.





Detail of the second 46. floor grand hall chandelier.



45. Looking east from the stair landing to the second floor grand hall and the 1924 room that was enclosed at the east end of the hall.



47. Detail of the 1924 hall and closet enclosure of the second floor original passageway.



48. Southeast corner of the second floor main body east room and entrance to the 1924 eave bath.






49. Detail of the west room of original main body looking south to the closet under the 1924 eave.

50. Detail of the 1924 bathroom enclosure of the south portion of the second floor original passageway (1950 fixtures.)



51. Back yard looking south to the 1950's carport and the 1924 garage with stucco exterior and Doric style half columns








52a.

After repair.





Garage interior detail. 53.



53a. After repair.





54. Garage roof detail.

55. Garage foundation detail.





56. Column detail.

Form 10-1660 Rev. 12/90

NAIS NO

### UNITED STATES DEPARTMENT OF THE INTERIOR

### NATIONAL PARK SERVICE

# RECEIVED

## HISTORIC PRESERVATION CERTIFICATION APPLICATION

REQUEST FOR CERTIFICATION OF COMPLETED WORK RECEIVED NPS Office Use Only: Ala. Historical Commission P 2 6 1996 Instructions: Upon completion of the rehabilitation, return this formality representative photographs of the completed work (both exterior and interior views) to the appropriate reviewing office. If a Part 2 application has not been judgested in advance of project completion it must accompany this Request for Certification of Completed Work A copy of this form will be provided to the Internal Revenue Service. Type or print clearly in black link. The decision by the National Park Service with respect to certification is made on the basis of the descriptions in this application form. In the event of any discrepancy between the application form and other, supplementary material submitted with it (such as architectural plans, grawings and specifications), the application form shall take precedence. THE BERNSTEIN HOUSE 1. Name of property 206 GATES AVENUE S.E. Address of property Street State ALABAMA 35801 County MADISON HUNTSVILLE is property a certified historic structure? If yes, date of certification by NPS. or date of listing in the National Register 2. Data on rehabilitation project: AL-96-0586(627) National Park Service assigned rehabilitation project number MAY 1, 1996 Project starting date

AUGUST 7, 1996

27

Estimated costs attributed to new construction associated with the

Estimated costs attributed solely to the rehabilitation of the historic structure. \$

Rehabilitation work on this property was completed and the building placed in service on:

A 44 7 10 14
inscation

rehabilitation, including additions, site work, parking lots, landscaping	M 1	
---	-----	--

#### 3. Owner: (space on reverse for additional owners)

I hereby apply for certification of rehabilitation work described above for purposes of the Federal tax incentives. I hereby attest that the information provided is. to the best of my knowledge, correct, and that in my opinion the completed rehabilitation meets the Secretary's "Standards for Rehabilitation" and is consistent with the work described in Part 2 of the Historic Preservation Certification Application I also attest that I own the property described above, I understand that falsification of factual representations in this application is subject to criminal sanctions of up to \$10,000 in times or imprisonment for up to five years pur-BURNE to 18 U.S.C. 1001

Name MARGARET ANNE GOLDSMIT	TI HANAY Signature 22	argans Chine Addente Harant Date 9/9/96
Organization		1
Social Security or Taxpayer Identification Number	417-62-6243	
Street 231 EAST SIDE SQUARE		City HUNTSVILLE
State ALABAMA Zip	35801	Daysime Telephone Number (205) 534-0931

#### NPS Office Use Only

The National Park Service has reviewed the "Historic Preservation Certification Application -- Part 2" for the above-fisted "certified historic structure" and has determined

- In that the completed renabilitation meets the Secretary of the Interior's "Standards for Rehabilitation" and is consistent with the historic character of the property or the district in which it is located. Effective the date indicated below, the rehabilitation of the "certified historic structure" is hereby designated a "certified rehabilitation." A copy of this certification has been provided to the Department of the Treasury in accordance with Federal law. This letter of ceris to be used in conjunction with appropriate Internal Revenue Service regulations. Questions concerning specific tax consequences or interpretations of the internal Revenue Code should be addressed to the appropriate local internal Revenue Service office. Completed projects may be inspected by an authorized representative of the Secretary to determine if the work meets the "Standards for Rehabilitation." The Secretary reserves the right to make inspections at any time up to five years after completion of the rehabilitation and to revoke certification, if it is determined that the rehabilitation project was not undertaken as presented by the owner in the application form and supporting documentation, or the owner, upon obtaining certification, undertook unapproved further siterations as part of the rehabilitation project inconsistent with the Secretary's "Standards for Rehabilitation."
- in that the rehabilitation is not consistent with the historic character of the property or the district in which it is located and that the project does not meet the Secretary of the Interior's "Standards for Rehabilitation." A copy of this form will be provided to the Internal Revenue Service.

Gregor Rangley

202-343-9533

National Park Service Office/Telephone No

See Attachments

## MADISON COUNTY PROPERTIES LISTED ON THE NA-TIONAL REGISTER OF HISTORIC PLACES AS OF 3-29-96

Key: HABS - Historic American Buildings Survey

NHL - National Historic Landmark
 TR - Thematic Resource Nomination
 MRA - Multiple Resource Nomination

BIBB, JAMES H., HOUSE 11 Allen Street, Madison

1867

Structures: 1 Added: 4/12/84

BONE-WILBOURN, HOUSE (McCartney-Bone House) Hurricane Road, Maysville

c. 1825 Structures: 1 Added: 12/16/77

BURRITT, WILLIAM, MANSION 3101 Burritt Drive SE, Huntsville

1936–38 Structures: 1 Added: 5/29/92

**BUTLERS' STORE** 

5498 Main Drive, New Hope

1908, 1939 Structures: 3 Added: 8/31/92

**CLEMENS HOUSE** 

219 Clinton Avenue, Huntsville

1830 Structures: 1

Added: 10/16/74

(Huntsville Utilities owns, will be moved to ACV)

DALLAS MILL (Burned 7/24/91) 701 Dallas Street, Huntsville

1892

Structures: 4 Added: 9/18/78

DOMESTIC SCIENCE

**BUILDING** 

Alabama Agricultural and Industrial University, Normal

1911

Structures: 1 Added: 4/11/73

EPISCOPAL: CHURCH OF THE NATIVITY NHL 6/21/90

212 Eustis Avenue, S.E., Huntsville

1859

Structures: 1 Added: 10/9/74

FIRST NATIONAL BANK OF

**HUNTSVILLE** 

West Side Square, Huntsville

1835

Structures: 1 Added: 10/25/74

**HUMPHREYS-RODGERS** 

HOUSE (moved)

514 Clinton Avenue, West, P.O.

Box S, Huntsville

c. 1848

Structures: 1 (Removed)

Added: 8/3/77

### HUNDLEY HOUSE (OSCAR) 401 Madison Street, Huntsville 1899-1900

Structures: 1 Added: 5/22/78

HUNTSVILLE MULTIPLE
RESOURCE NOMINATION\*
MRA HABSA (1)
Downtown Huntsville
Structures: 38

Structures: 38 Added: 9/22/80

\* Each structure is treated as an individual nomination.

HOTEL RUSSELL ERSKINE 123 West Clinton Avenue, 1928-30

TERRY HUTCHENS BLDG 102 West Clinton Avenue, 1925

MASON BUILDING 115 East Clinton Avenue, 1927

DOWNTOWN CHEVRON STATION 300 East Clinton Avenue (demolished)

TIMES BUILDING/ COURTHOUSE ANNEX 228 East Holmes Avenue, 1926-28

HENDERSON NATIONAL BANK 118 South Jefferson Street, 1948 (Now South Bank) BECKERS BLOCK 105-111 North Jefferson Street, 1925

STRUVE-KAY BUILDING 117–123 North Jefferson St., (corner Jefferson & Holmes) 1900

CHURCH OF THE VISITATION 222 North Jefferson Street, 1861

W. L. HALSEY WARE-HOUSE 300 North Jefferson Street, 1904

HALSEY GROCERY WAREHOUSE (now Holland-Smith Gro). 301 North Jefferson Street, 1923

KELLY BROTHERS AND ROW BUILDING 307 North Jefferson Street, 1928

LOMBARDO BUILDING (now Railroad Antiques) 315 North Jefferson Street, 1922

MILLIGAN BLOCK 201-203 East Side Square, (corner Randolph & East Side Square) 1900

MAY AND COONEY/ ELBERT H. PARSONS LAW LIBRARY 205 East Side Square 1913

SCHIFFMAN BUILDING 231 East Side Square 1895

DUNNAVANT'S BUILDING 100 N. Washington Street 1905

EVERETT BUILDING (Heritage Club) 115-123 N. Washington Street 1899

YARBROUGH HOTEL 127-129 N. Washington Street 1922-24

**HUNDLEY-CLARK HOUSE** 400 Franklin Street (Gates & Franklin) 1903-05

RANDOLPH STREET CHURCH OF CHRIST 210 Randolph Ave. 1887

**HUNDLEY-VAN** VALKENBURG HOUSE 108 Gates Street (between Madison & Franklin) 1903-05

THE BIG SPRING West Side Square

DONEGAN BLOCK 105-109 North Side Square 1870

SULLIVAN BUILDING/ MARJA'S (RAND BUILDING) 113 North Side Square 1883

104-128 SOUTH SIDE SOUARE (12 bldgs)

KRESS BUILDING/ BREAKER'S 107 S. Washington Street 1931

W. T. HUTCHENS BUILDING 100-104 South 1916-1921 Structures: 1 Added: 12/28/83

JORDAN-BUSBIN HOME (Flint River Place) 1997 Jordan Road, Huntsville late 1840s Structures: 1 Added: 1/18/82

KILDARE **HABS** 2005 Kildare Street, Huntsville 1886-87 Structures: 1 Added: 7/15/82

LANFORD, WILLIAM, HOUSE 7400 Old Madison Pike, Huntsville 1850

Structures: 7 (4 c, 3 nc) Added: 5/20/94

LEECH-HAUER HOUSE (demolished) 502 Governors Drive, Huntsville c. 1830 Structures: 1

Added: 12/8/78

#### LINCOLN SCHOOL

1110 N. Meridian St., Huntsville 1929

Structures: 1 Added: 12/27/82

### McCRARY HOUSE

6 miles east of Riverton Road on a graveled road 1.2 m North of U.S. 64., Huntsville 1840–1873

Structures: 7 Added: 6/1/82

# MEMPHIS AND CHARLESTON RAILROAD DEPOT

(Southern Railway System Depot)
[Passenger Depot]
330 Church Street, Huntsville

1860

Sstructures: 1 Added: 9/10/71

## NEUTRAL BUOYANCY SPACE SIMULATOR NHL 10/3/85

George C. Marshall Space Flight

Center, Huntsville Added: 10/3/85

NEW MARKET

PRESBYTERIAN CHURCH 1723 New Market Road, New

Market 1888

Structures: 1 Added: 8/25/88

NEW MARKET UNITED
METHODIST CHURCH
310 Hurricane Road, New Market

1921

Structures: 1 Added: 6/14/90

### OAKLAWN

HABS

(John Robinson House)

2709 Meridian St., N., Huntsville

1840s

Structures: 2 Added: 10/6/77

# OLD TOWN HISTORIC DISTRICT

Huntsville

late 19th and early 20th century Structures: 264 (227 c, 24 cc, 13

nc)

Added: 7/18/78

### **OTEY HOUSE**

(William Madison—Greenlawn)
North of Bob Wade Road,
Meridianville vicinity

c. 1850

Structures: 1 main, 3 depending

Added: 1/19/82

### PHELPS-JONES HOUSE

6112 Pulsaki Pike, Huntsville 1818-20

Structures: 1 Added: 2/19/82

### PROPULSION AND

STRUCTURAL TEST FACILITY

NHL 10/3/85

George C. Marshall Space Flight

Center, Huntsville Designated: 10/3/85

### **QUIETDALE**

HABS

(Mrs. William Robinson House) 401 Quietdale Drive NE, Huntsville

c. 1854

Structures: 1 and attached servants

quarters Added: 2/4/82

### REDSTONE TEST STAND

(Interim Test Stand) NHL 10/3/85 West Test Area, Redstone Arsenal.

Huntsville

1953

Structures: 1 Added: 5/13/76

# SATURN V DYNAMIC TEST

STAND NHL 10/3/85

George C. Marshall Space Flight

Center, Huntsville Designated: 10/3/85

### SATURN V SPACE VEHICLE

NHL 10/3/85

Tranquillity Base, Huntsville

1964

Structures: 1 Added: 11/22/78

### STEELE-FOWLER HOUSE

(Oak Place)

808 Maysville Road, Huntsville

1840

Structures: 1 Added: 6/20/74

### THE STEGER HOUSE

(Dr. Howard Place)

3141 Maysville Road, Huntsville

1854

Added: 6/1/82

### STRUVE BLOCK

105 South Washington, Huntsville

1931

Added: 5/23/84

# TWICKENHAM HISTORIC DISTRICT HABS (9)

Huntsville

1814 to present Structures: 297

Added: 1/4/73

# U. S. COURTHOUSE AND POST OFFICE

101 East Holmes Ave., Huntsville

1932

Structures: 1 Added: 2/24/81

### **URGUHART HOUSE**

8042 Pulaski Pike, Huntsville

c.1813 - c.1830 Structures: 4 Added: 2/13/92

### **VAUGHT HOUSE**

(Nicholson House)

701 Ward Avenue, Huntsville

19001

Structures: 1 Added: 12/15/81

## WHITE-TURNER-SANFORD

**HOUSE** 

601 Madison Street, Huntsville

1827 and ca. 1858

Structures: 1 Added: 4/12/84

### WITHERS-CHAPMAN HOUSE

2409 Gaboury Lane, N.E.,

Huntsville late 1830's Structures: 1

Added: 12/8/78

### WHITMAN-COBB HOUSE

Winchester Road, 1/2 mile south of inter. with New Market Road

1861?

Structures: 1 Added: 1/18/82

### MADISON COUNTY PROPERTIES LISTED ON THE ALABAMA REGISTER OF LANDMARKS & HERITAGE AS OF 3/29/96

Key: NRHP Property is listed on the National Register of Historic Places.

Alabama A & M University Historic District, Normal

1911

Listed: 8/3/90

Allison-Hewlett House, 1829 Winchester Road, Huntsville

ca. 1823

Listed: 8/25/94

Constitution Hall Park, Franklin Street and Gates Ave., Huntsville

1819

Listed: 10/31/75

East Hall (Oakwood Sanitarium), Oakwood Road, Huntsville

1909

Listed: 8/13/87

"Fairview,"

515 Randolph Avenue, Huntsville

ca. 1868

Listed: 10/20/77

Gurley Cumberland Presbyterian

Church,

College & Section Line Sts, Gurley

1912

Listed: 11/4/87

Gurley Historic District, Gurley

Listed: 11/17/95

House/Hinds Cemetery, east of Huntsville

1809 - 11

Listed: 3/22/91

Leech-Hauer House,

502 Governor's Drive, Huntsville

(NRHP) demolished

Circa 1830 Listed: 7/28/78

Madison County Poorhouse Cemetery, New Market

Listed: 11/2/90

New Market Historic District.

New Market 1850-1940

Listed: 7/22/91

Otey House, North of Bob Wade Road, vicinity of Merdianville

(NRHP) Circa 1850 Listed: 1/31/79

Phelps-Jones House, 6112 Pulaski

Pike, Huntsville Early 1820s Listed: 1/31/79

Poplar Ridge School, 790 Poplar

Ridge Road, New Hope

1858

Listed: 8/3/90

Quick, William LaFayette House

4 mi E Hwy 431N,

1877 Walker Ln. New Market

Early 1900s Listed: 5/22/88

Simmons House, North of Huntsville Circa 1850 Listed: 5/26/75

Steamboat Gothic House Lowe Ave. and South Green St. Huntsville 1890 Listed: 10/27

Steger-Nance House (Dr. Howard Place), 3141 Maysville Rd, Huntsville (NRHP) circa 1854 Listed: 9/24/81

Temple B'Nai Shalom 103 Lincoln Street SE, Huntsville 1898

Listed: 7/29/77

Union Chapel (UAH), Campus of UAH Circa 1835 Listed: 9/9/75

Viduta Historic District, Monte Sano Mountain, Huntsville circa 1835 Listed: 3/8/94

# **INDEX**

$\mathbf{A}$	<b>B</b> (continued)
Adair, Dorothy 176	Block Grants (HUD) 136-137
Adaptive reuse/use 199, 200, 225	Blount's Alley 123
Adventist Heritage Magazine 3	Blow, Peter 53
Alabama A&M University 11, 93, 175	Bollings (The) 157
Alabama Cultural Resources	Bolton, Suzi 2, 58, 60
Preservation Trust Fund 168	Bracken, Ed (contractor) 73
Alabama Historical Association	Bradford, D. M 97
(Marker) 2, 53, 119, 122, 129 139,	Bradley, Mrs. Joe 94
140, 165, 166, 167-169, 185	Bramm, Joe Leroy
Alabama Historical	(Mrs. Horace) 59-60, 61, 68
Commission 119, 122, 129, 139	Bramm, Jonathan (son of
140, 165, 166, 167–169,	Dr. & Mrs. David) 68
172, 201, 203	Brandon, Thomas 97
Alabama Humanities Foundation 119	Bryant, Hall Jr 58
Alabama Preservation	Burritt Mansion 198
Alliance 119, 127, 168	Burwell, Jack 138, 176
Alabama Republican 224	Burwell, Jack & Emily 58
Alabama Register of Landmarks	Butcher, Joe 71
and Heritage 120, 168, 198	
Allen, Linda 122, 163, 170, 174, 175	C
Andrea, Hattie9	CLG Grant 119, 167-168
Antiquarian Society 174	Cain, Thomas (shop) 97
Archaeological Council	Caldwell House 97
Architectural Design 121	Calhoun Street 96
Ashby Auditorium (OW) 42	Callahan, Mr 97
Ashby, N. E	Campus Map (OW) 28-29
•	Canal Street 123
В	Carter, Bessie (Hall) (OW) 47
Bankhead, Tullulah 192	Carter, Miss Sally 153
Barber, Peter 111	Cedarhurst 152–153
Barr, Jane 120	Central Presbyterian Church 120
Beardsley, James I	Chamber of Commerce 176
Bell Tavern 97	Chandeliers 78
Benches (Mountain) 91–92	Changing Huntsville 60, 96
Bernstein, Henrietta 200	Chapman, Elizabeth
Berstein House 144, 149–151,	Humes 60, 94, 96
200–203, 224–249	Chapman School 113, 189
Bernstein, Morris 200	Character 121
Big Cove Fire Department 104	Charlton, Jack and Vanetta 151
Big Spring Branch 94, 123, 163	Cherokee Indian Nation 90
Black Heritage Council 168	Chowan house (N. Carolina) 76
Blake, W. J. (OW)	Church of the Nativity 113
(Administration Bldg) 48	City Hall 95

C (continued)	${f E}$
City Planning 122	Easements (Preservation) 138-140
Civil War 89, 91, 123	East Clinton Elementary
Clark, F. W	School 110, 189
Clinton Street 95, 96, 123	East Gate (OW) 3, 20
Collins Construction	East Hall (OW) 2, 6, 12-14, 20, 32
Collins Photo 23	Eastlake (style) 225
Colonial Hills113	Edwards, Dr. Sarah Hall 122
Colonial Homes Magazine 76	Ellis, Diane 58, 119, 122, 174, 198
Colonial Revival 200, 201, 234	Endangered Properties List 127
Community 121	Estill Fork 90
Community Development 122,	F
135–137	-
Computer Graphics 122, 193-194	Facade Grant Program
Constitution Village 135, 154	Fanning, Dallas
Cooper, Chip 58, 114	224, 225, 228, 230
Court House 95, 135, 163	Fences
Coves & sinks (Jackson Co.) 89-93	Ferguson, B
Craftsman Lumber	Ferrill, Dr. Ben
Company (Groton, Mass) 72	Fieldstone
Cross, J. D	Figg, L. G
Cumberland Mountains 89	Fire(s) 27, 37, 54, 60, 62, 63, 64,
Cunningham (Hall)	94–99, 100–109, 156
(Mother) 10, 13, 30, 40	Fire Department 94–95
,	Fireplace 72, 73, 91
D	First Alabama Bank 121, 163, 189
Dabbs, Joe	First Missionary Baptist Church 149
Dabbs, Merilyn O 60, 89-93	First Presbyterian Church 198
Davis Cabinets	Five Points 120
Depot 123, 135	Ford, H. E
Dixon, Mineola 2, 3, 6, 7	Ford Hall (OW)
Dobbins, Elder Harry 12-13	Forks of Cypress
Dogtrot 101	Franks Pritt 07
Door trim 75	Franks, Britt
Doric (columns) 228, 229	Funds (for Preservation) 178–184
Downing, Andrew Jackson 157	Tunds (for Freservation) 170 To 1
Downtown	G
Dunn, Charlotte & Margaret 68	Gallatin (St.) 123
Dworsky, Dr. and Mrs 157	Galloway, Jerry 135-137
Dwyer, Jamie Hall 113	Galveston, Texas 133
Dwyer, Jean Hall 113	Gamble, Robert 169
Dykes, Eva B. Dr 13, 49	Gambrel (roof) 228
Dykes, Eva B.	Gaston, J 97
(Library) 6, 11, 24, 49	27

G (continued)	H (continued)
Gates Ave 200, 203	Huntsville Daily Times 123
Geneva County 121	Huntsville Democrat 97
	Huntsville Female College 95–96
Gibson, Danny (finish carpenter) 74	Huntsville High School 110–111
Glimpses into Antebellum	Huntsville Historic Preservation
	Commission 70, 120, 146,
Gobble-Fite Lumber 75	170–173
Goldsmith, Lawrence B 227	Huntsville Hotel
Gothic 225	Huntsville Madison County
Gothic/Italian Villa Style 156-157	
Graham, Mrs. Robert 97	
Greek Revival 155, 189, 224	Public Library 185
Green Ave 225–226	Huntsville Planning
Green Hall, W. H. (OW) 41	Department 166, 173, 175
Greenlawn Interiors 77	_
Griffin, Edwin 113	I
**	Investment Tax Credit 161
H	Irwin, G. A 3, 5, 7, 8
HABS, Historic American Building	Irwin Hall (OW)
	Italianate Style 144–148
Hale, Frank W. Jr	<b>T</b>
Hanaw, Margaret Anne	J
	Jackson County (abandoned
	homesites)
	Jackson County (map) 86–87, 93
	Jacobs, S. M
	Jefferson Street
	"Joe" the iceman
	Johnson, J
	Jones, Dr. A. B
	Jones, Charley
	Jones, Mrs. Edwin 110
	Jones, Harvie 58, 80, 122, 138,
Historic districts	144, 152, 161, 177
Historic preservation 121 126	ones, Ira 58, 122, 138
Holiday Tea 58, 120	Jones, Irene
Holmes Street 97	Jones, Lynn 84
Homesites (abandoned) 89-93	50.00s, 25
Homestead Act (1862) 91	K
Hughes, A. F	Kamback, Carol 113
Huntsville, City of 14	Keel Mountain
Huntsville City	Kids' Architectural Press 189
Council 171–172, 175	Kilbourn, Lee

K (continued)	M (continued)
Kimble, R. L	Miller, E. P 111
Korean Conflict 111	Miller, Lois Mason 60, 110-111
Knight, Anna	Miller, Mamie Morring 111
(Elementary School) 8, 45	Miller Mountain
Kress Building 122	Miller, William 111
•	Miller, William Press 111
${f L}$	Millet, Garland 18
Land Trust 120	Milligan Block 95
Lanier, Tara 169	Milligan, Mrs 95
Larkin Ford 90	Mobile 119, 126–129
Lawler, Judge 98	Mobile Historic Development
Laws Stained Glass Company 50	Commission 119, 126–129
Leonard, Tony 73	Monte Sano 94
Lewis, Will 176	Monte Sano Female Seminary 73
Lewter's Hardware 73, 82	Monte Sano Historical Society 120
Library Foundation Board 111	Monte Sano Hotel 96
Lincoln Elementary School 113	Monte Sano State Park 198
Lincoln Street 96	Monte Sano State Park Historic
Lindsey, H 7	District 120
Live-in-a-Landmark Council 168	Moore, Mrs. (Dr.) 97
Long Range Planning	Moran Hall 10, 13, 39
Committee (HHF) 2	Moran, James L 17, 39
Lowenthal (family) 95	Moreland, Sherman T 45
Lumpkin, Wayne 78	"Morning Star", The 4, 5, 10, 24
Lyric (Theater) 60, 110	Moseley, Elder C. E. (OW
	(Religious Complex)) 50
M	Movable Feast 58
Main Street Program 2, 58, 119,	Museum of Early Southern
125, 141–143, 168	Decorative Arts (N.C.) 76
Map (Huntsville) 238–240	
Maples Sheet Metal 78	N
Martinson, Lauren 58, 122, 141	Nat Mountain 89
Mason Furniture Company 111	National Historic
Mason, Mabel 111	Landmarks 161, 164, 165
Mason, Wm. Oscar 111	National Preservation Week 58
McClung Avenue 156	National Register 160, 161,
McGuffey, Kathryn Welborn 122	163–166, 168, 198, 201
Memphis and Charleston	National Trust for Historic
Passenger Depot 198	Preservation 119, 141, 168, 175
Meridianville (Street)	New England
"Mike" (sheetmetal worker) 78	(architecture) 59–60, 69
Milbarger, Gayle 58	Newman, Dr. Francis
Mill Village	Nicholson, Roger 138
rehabilitation 134, 135-136	

N (continued)	Q
Normal Hall (OW) 10, 38	Quality of Life 121
Nunn, Jim 101	Queen Anne (style) 225
	Quilting 82–84
0	-
Oak Place 75	R
Oaklawn (OW) 16	Randolph Avenue 94, 96, 110–111
Oaks, F. Lawrence 169	Reaves, Dr. Benjamin 1, 15, 20
Oakwood College 1–53	Rebman, Mr 97
Oakwood College Church 50	Redstone Test Stand 163
Oakwood (Fire) 27	Revolving
Oakwood (Students) 8–9, 27	Fund(s) 126–128, 130, 131
Oberlies, Norma 71	Rhodes, Dale 59–60, 69, 82
Old Mansion (OW) 7, 8, 9, 23, 29	Rhodes, Lauren 84
Old Salem (N.C.) 76	Rhodes, Liz 84
Old Town 175, 177	Rhodes, Richard (Dick) 70–80
Olsen, O. A 5, 8	Richards Lighting 78
Orphanage (OW) 34	Ringling Bros. Circus98
O'Shaughnessy, James 94	Roberts, Frances 122, 174–177
n	Robinson, B. J
P	Robinson, Dr. P. B
Paint Rock	Rock, Calvin B
Palladian 152–153	Rockwalls
Parker, Kenny	Rodgers' Stable
Parker & McKenzie	Romanesque
Peters, G. E	Roundhouse
	Russel Erskine Hotel
Peterson, Frank L.,	Russel Elskille Hotel 110
Pilgrimage Council	S
Peterson Hall (OW)	Samples, Carol Ann 120
Pines, The (OW)	Sanborn Map 145, 149, 226
Popes (the) 157	Saturn V Space Vehicle 163, 164
Pinkney, Addison 18, 46, 47	Savannah Street rehabilitation
Potato House & Cannery (OW) 36	project (Mobile) 128
Preservation Committee	Schandies Shoe Shop 97
(HHF) 2, 131–132	Schiffman Bldg 109, 121, 189
Preservation Report169	Schrimsher, Mat
Preservation Week 119	Scott, Dred 53
Printing Office (OW) 36	Scruggs, George
Property Values 133	Seventh-day Adventist
Pullins, Fred 12	Church 6, 7, 15
	Shaw, H. S 9
	Shell, Mary 122, 169
	Sherman, Stephanie 58

S (continued)	V
Showers, Richard 176	Van Peursem, Rob 176
Signature Quilt 84	Van Valkenburgh, Richard 138
Slaughter, J. A 97	Victorian 154-155, 158, 226
Slave huts	
Smith, Hulan 167, 176	$\mathbf{W}$
Southern Advocate 97	Wade, Trula E. (Hall) (OW) 7, 51
Southern Antiques and Folk Art 76	Walker Avenue (house) 158
Southern Railroad Depot	Walker, Ben 58
Spragins (the) 157	Walking Tour of Huntsville 159
Sprague-Chadwick House 154–155	Walton, Lori 122
Spring house 90	Ward, E. C. (Pastor) 50
Square (the) 94, 95, 97, 121	Ward House 156–157
Squatters 90–91	Warwick, George H 97
St. Mary's Church	Washington Street 95
Stafford, J. T 34	Watson, Joe 146–147, 151
State Historic Preservation	Watts (the)
Officer (SHPO) 166, 167	Weeden House 120, 135
Steele, George 75	Weil, J. and Bros 95
Steele Street 144, 145, 149, 151	Wells' Stable 94
Stegall, Chief Ozra95	West Hall 10, 26–29
Stephens, Elise 59, 97, 121,	West Mastin Lake Elementary 113
135, 138, 167, 199	White, Ellen G 3, 4, 5, 7, 15
Stewardship 121	White, J. E 5
Stocktons (the) 157	White, Susie
Study Hall (OW) 7, 29, 30	Whitesburg Middle School 11
an.	Wilkinson, Dr
T	Wilson, Mrs. (Jackson Co.) 92
Take A Walk 112–113, 115	Winder, E. T
Tax Credits	Windows
Tennessee River	Witch House (Salem) 59–60, 70, 80 Withers, A. J 97–98
Tennessee Valley	W.O.C.G. F.M. Radio 6, 11
Terrill & Robinson's	Wooldridge, Engineer 95
Thomas, Maureen 3, 8–11	World War I
Thompson, Aubrey J 3, 22, 52	72
Trade Day 58, 115	Y
Tremont nails	Yarbrough Hotel 135
Trottman, J. B 97	
Tucker, Joseph A	
Tuscan	
Tuscan Portico 152–153	
Twickenham 136, 174–175	
200, 201, 224–225, 235	
Twickenham Town DAR 111	

## Historic Huntsville Foundation, Inc. P.O. Box 786 Huntsville, Alabama 35804

Patron, \$35 to \$99	
Benefactor, \$100 and up	
Business, \$50	
Organization, \$25	
Senior (65 and over)	
for Individual & Family Categori	es \$20
To become a member, please check decontributions are tax deductible.	
Name	
NameStreet	
Street	
Street	tateZip

The HISTORIC HUNTSVILLE FOUNDATION was established in 1974 to encourage the preservation of historically or architecturally significant sites and structures throughout Huntsville and Madison County and to increase public awareness of their value to the community. The FOUNDATION is the only organization in Huntsville concerned exclusively with architectural preservation and history. Membership is open to interested and concerned citizens from across north Alabama and beyond.



### **PRINTING**

The Tennessee Valley Press Inc.

**LAYOUT & TYPING** 

Jean Hall Dwyer

from

P.O. Box 786 Historic Huntsville Foundation, Inc.

Huntsville, Alabama 35804

NON-PROFIT ORG.
U.S. Postage
PAID
PERMIT #34
Huntsville, AL